



ROAD LEGAL INCREASE YOUR VISIBILITY

AUTOMOTIVE LED LIGHTING

COMPETITION MAKE THE DIFFERENCE

FRONT LIGHT

LED DRIVING LIGHTS p.4-19

6-7 CANNON CG2 8-9 CANNON Covers **10-11** CANNON ADV 12-13 Thunder Driving Light **14-15** Thunder Driving Light (No Halo) 16 -17 OPTIMUS **18-19** CANNON CG2 FOG

LED HEADLIGHT p.20-21

20-21 Vortex

LED LIGHT BARS p.22-48

24-25 Xmitter Prime Xtreme Black Edition **26-27** XPR

28-29 Xmitter Prime & XPR Accessories

30-33 XPR-H

34-35 XPR-H Curved **36-37** XPR-H Accessories

38-41 XPL

42**-43** XPL Curved

44-45 XPL Accessories

46-47 Shocker X2

48-51 Shocker Dual Action

52-57 Unite

58-59 Low Profile - Horizon

60-61 XPL FOG

BACK & AREA LIGHT

REVERSE LIGHT

64 DURA E490

65 OVERLAND 3 LED 66 SOLO Mini

67 SOLO Prime

68 UF32 69 DURA Mini Flush

AREA LIGHT p.70-77

72 Solstice SOLO 73 XPL Chaser Bar 74-75 Outlander Series 76-77 DURALUX Series

78-91 ACCESORIES











MULTI LED

Multi-LED CG2 Light Cannons are the ultimate light for blasting through the night with a powerful broad driving beam pattern and outstanding medium distance lighting coverage. Boasting over 100 lumens per watt, the CG2 Multi-LED will out perform and outshine the competition.

BROAD SPOT BEAM

Great distance beam with a moderate amount of spread. Broad spot beam pattern Vision X lights use multiple 10° optics that are specifically arranged to still provide a large amount of distance with the added benefit of spread.



ADJUSTABLE TRUNNION BRACKET

This support system allows adjustable tilt angle of the lighting; use the 4 points bolts on the sides to adjust the best lighting position.

Vibration Rating: 21.2 Grms

SINGLE LED

Single LED CG2 Light Cannons take lighting to uncharted territory with incomparable distances. The industry-leading Luminous Big Chip LED and Iris Reflector throws a violent blast of light that penetrates the night up to 3,500 feet. (8.7") If you need superior distance from your lighting, this is the solution.

EXTREME / SPOT BEAM

Longest distance beam with the smallest spread that is ideal at high speeds. Vision X lights with a spot beam will be equipped with our Iris Reflector Technology.





CG2 CANNON LED LIGHT

The most powerful and versatile on-road LED lighting system. Available in a Long Distance or Multi-LED Full Beam version to shine the light exactly where you need it. The Day-White lighting color allows you to comfortably see the terrain over unmatchable distances.









Available with Yellow Lens on request.

Other beams are available on demand.

LUMEN VS DISTANCE







SNAP-ON LIGHT COVERS



21 LIGHTS IN 1


Each Light Cannon is 21 Lights In One with the help of the unbreakable polycarbonate snap-on covers that can alter the beam pattern and change the color of the Cannon. Tackle any weather condition with the proper color cover, or quickly change your spot cover to a flood cover for a wider beam when necessary.

COLOR OPTIONS



BLACKOUT | PROTECTIVE

Covers the fixture with a solid black protective cover with a high contrast "X" logo. Required in select states for on-road use.



BEAM OPTIONS

CLEAR | PROTECTIVE

Protects light from dust, debris and particulates without changing light color or performance.




AMBER | FOG

Battles fog conditions by reducing the amount of blue light. Mimics classic Halogen color temperature. Great for driving in fog at high speeds.









Reduces light temperature and glare back in order to enhance penetration in dust and air particulate. Ideal for vehicles in extreme dust conditions.



COMBO

EURO

elliptical cover.

effective distance.

Reduces peripheral illumination while losing minor distance.

Spot covers maintain original lighting beam pattern while protecting the lens from harmful debris.

Combo covers combine the distance of a spot

Illuminate some peripherals while maintaining

cover with the added peripheral illumination of a



Maximum wide field of view illumination in exchange for distance.



TRAIL FLOOD

Maximum vertical field of view illumination in exchange for distance.

BLACK | PROTECTIVE

| EM# | SIZE | PRICE |
|-----------|-------|--------|
| CV-CP1BL | 137MM | €20,85 |
| CV-6500BL | 167MM | €38,40 |
| | | |



ITEM# PCV-OPR1BL 76MM

BLACK | PROTECTIVE

76mm MINI CANNON / OPTIMUS



| ITEM# | BEAM | PRICE |
|------------|-------------|--------|
| PCV-OPR1 | SPOT | €16,46 |
| PCV-OPR1EU | EUR0 | €16,46 |
| PCV-OPR1FL | TRAIL FLOOD | €16,46 |
| PCV-OPR1WF | WIDE FLOOD | €16,46 |
| PCV-OPR1EL | ELLIPTICAL | €16,46 |



| ITEM# | BEAM | PRICE |
|-------------|-------------|--------|
| PCV-OPR1B | SPOT | €16,46 |
| PCV-OPR1BEU | EUR0 | €16,46 |
| PCV-OPR1BFL | TRAIL FLOOD | €16,46 |
| PCV-OPR1BWF | WIDE FLOOD | €16,46 |
| PCV-OPR1BEL | ELLIPTICAL | €16,46 |
| | | |



| ITEM# | BEAM | PRICE |
|-------------|-------------|--------|
| PCV-OPR1Y | SPOT | €16,46 |
| PCV-OPR1YEU | EUR0 | €16,46 |
| PCV-OPR1YFL | TRAIL FLOOD | €16,46 |
| PCV-OPR1YWF | WIDE FLOOD | €16,46 |
| PCV-OPR1YEL | ELLIPTICAL | €16,46 |
| | | |

| ITEM# | BEAM | PRICE |
|-------------|-------------|--------|
| PCV-OPR1R | SPOT | €16,46 |
| PCV-OPR1REU | EUR0 | €16,46 |
| PCV-OPR1RFL | TRAIL FLOOD | €16,46 |
| PCV-OPR1RWF | WIDE FLOOD | €16,46 |
| PCV-OPR1REL | ELLIPTICAL | €16,46 |

BEAM

PRICE

€20,85

€20,85

137mm LIGHT CANNON COVERS



| ITE | M # | BEAM | PRICE |
|--------|---------|-------------|--------|
| PCV | /-CP1 | SP0T | €20,85 |
| | /-CP1CB | COMBO | €20,85 |
| | /-CP1EU | EUR0 | €20,85 |
| PCV | /-CP1FL | TRAIL FLOOD | €20,85 |
| | /-CP1WF | WIDE FLOOD | €20,85 |
| VE_PCV | /-CP1EL | ELLIPTICAL | €20,85 |
| | | | |

| | ITEN |
|-----------------|-------|
| MARKETTE | PCV-C |
| A John Stranger | PCV-C |
| O VALORED | PCV-C |
| | PCV-0 |
| | PCV-0 |
| | DOLL |

| | ITEM# | BEAM | PRICE |
|---|------------|-------------|--------|
| | PCV-CP1Y | SPOT | €20,85 |
| | PCV-CP1YCB | COMBO | €20,85 |
| | PCV-CP1YEU | EUR0 | €20,85 |
| / | PCV-CP1YFL | TRAIL FLOOD | €20,85 |
| | PCV-CP1YWF | WIDE FLOOD | €20,85 |
| | PCV-CP1YEL | ELLIPTICAL | €20,85 |
| | | | |

BEAM



ITEM#

PCV-CP1B

PCV-CP1REL

| PUV-UP I DEU | EURU | €ZU,83 |
|----------------|-------------|--------|
| PCV-CP1BFL | TRAIL FLOOD | €20,85 |
| PCV-CP1BWF | WIDE FLOOD | €20,85 |
| PCV-CP1BEL | ELLIPTICAL | €20,85 |
| | | |
| ITEM# | BEAM | PRICE |
| PCV-CP1R | SP0T | €20,85 |
| PCV-CP1RCB | COMBO | €20.85 |
| 1 0 1 01 11105 | CONIDO | |
| PCV-CP1REU | EURO | €20,85 |

167mm LIGHT CANNON COVERS

ITEM#



| Total Total | PCV-6500 | SP0T | €38,40 |
|------------------|------------|-------------|--------|
| | PCV-6500CB | COMBO | €38,40 |
| | PCV-6500EU | EUR0 | €38,40 |
| | PCV-6500FL | TRAIL FLOOD | €38,40 |
| | PCV-6500WF | WIDE FLOOD | €38,40 |
| EAR PROTECTIVE | PCV-6500EL | ELLIPTICAL | €38,40 |
| | | | |
| | | | |



RED | DUST

| ITEM# | BEAM | PRICE |
|-------------|-------------|--------|
| PCV-6500B | SP0T | €38,40 |
| PCV-6500BCB | COMBO | €38,40 |
| PCV-6500BEU | EUR0 | €38,40 |
| PCV-6500BFL | TRAIL FLOOD | €38,40 |
| PCV-6500BWF | WIDE FLOOD | €38,40 |
| PCV-6500BEL | ELLIPTICAL | €38,40 |
| | | |







RED | DUST

| ITEM# | BEAM | PRICE |
|-------------|-------------|--------|
| PCV-6500R | SP0T | €38,40 |
| PCV-6500RCB | COMBO | €38,40 |
| PCV-6500REU | EUR0 | €38,40 |
| PCV-6500RFL | TRAIL FLOOD | €38,40 |
| PCV-6500RWF | WIDE FLOOD | €38,40 |
| PCV-6500REL | ELLIPTICAL | €38,40 |
| | | |

223mm LIGHT CANNON COVERS



| TAUST | II CIVI # | BEAM | PRICE |
|------------|------------|-------------|--------|
| TEN | PCV-8500 | SP0T | €42,79 |
| Control of | PCV-8500CB | COMB0 | €42,79 |
| | PCV-8500EU | EUR0 | €42,79 |
| | PCV-6500FL | TRAIL FLOOD | €42,79 |
| 100 | PCV-6500WF | WIDE FLOOD | €42,79 |
| ROTECTIVE_ | PCV-6500EL | ELLIPTICAL | €42,79 |
| | | | |
| | | 5-44 | |



| 10100011 | LLLII IIO/IL | 0 12,70 |
|-------------|--------------|---------|
| | | |
| ITEM# | BEAM | PRICE |
| PCV-8500Y | SPOT | €42,79 |
| PCV-8500YCB | COMBO | €42,79 |
| PCV-8500YEU | EUR0 | €42,79 |
| PCV-8500YFL | TRAIL FLOOD | €42,79 |
| PCV-8500YWF | WIDE FLOOD | €42,79 |
| PCV-8500YEL | ELLIPTICAL | €42,79 |
| | | |



| | IIEWI# | BEAM | PRICE |
|---|-------------|-------------|--------|
| | PCV-8500B | SPOT | €42,79 |
| > | PCV-8500BCB | COMBO | €42,79 |
| 7 | PCV-8500BEU | EUR0 | €42,79 |
| | PCV-8500BFL | TRAIL FLOOD | €42,79 |
| | PCV-8500BWF | WIDE FLOOD | €42,79 |
| ٧ | PCV-8500BEL | ELLIPTICAL | €42,79 |
| | ITEM# | DEAM | DDICE |
| | | | |




| | ITEM# | BEAM | PRICE |
|----|-------------|-------------|--------|
| A | PCV-8500R | SPOT | €42,79 |
| 3 | PCV-8500RCB | COMBO | €42,79 |
| // | PCV-8500REU | EUR0 | €42,79 |
| | PCV-8500RFL | TRAIL FLOOD | €42,79 |
| | PCV-8500RWF | WIDE FLOOD | €42,79 |
| | PCV-8500REL | ELLIPTICAL | €42,79 |
| | | | |



ADV LIGHT CANNON ADVENTURES JUST GOT BRIGHTER

COMBO / DRIVING BEAM

Added peripheral illumination with the benefit of distance and spread. Similar to the broad spot beam, Vision X lights that produce a combo/mixed beam are equipped with multiple optics with varying degrees that angle light outward towards the side of your vehicle but still maintain distance and spread.



Combining the superior distance of Iris Reflector technology with the spread of elliptical optics the ADV Light Cannon series shines a powerful combo driving beam that is optimal for all terrains. With a robust 4-bolt steel trunnion bracket, the ADV Light Cannon Series was engineered to outshine and outlast the competition.

Amber or white position light?


Give your style and personality to stand out from the crowd! Choose between White or Amber position light.


With a separate wire, you'll be able to rig the position light up as a daytime running light.





DISTANCE AND LUMEN OUTPUT CAMPARISON







Combining the superior distance

COMBO BEAM

of Iris Reflectors with two elliptical optics, the ADV Light Cannon shines a powerful and smooth light pattern for all terrains. From curving roads to high-speed trails, the Driving/ Combo beam pattern is the perfect blend of light.






ADJUSTABLE TRUNNION BRACKET

This support system allows adjustable tilt angle of the lighting; use the 4 points bolts on the sides to adjust the best lighting position.

E-approved

All models are E-approved as driving light ECE R112.01.





MULTI LED

30 LED With an optimized light beam Reflectors to provide a spread of light at a distance. Beam: 10° SPOT

LENS MATERIAL

The lens is made of unbreakable polycarbonate.

POSITION LIGHT

Choose between White or Amber position light.

With a separate wire, you'll be able to rig the position light up as a daytime running light.


ADJUSTABLE TRUNNION BRACKET

This support system allows adjustable tilt angle of the lighting; use the 4 points bolts on the sides to adjust the best lighting position.

THUNDER DRIVING LIGHT WHAT ELSE WITH PERFORMANCE

BROAD SPOT BEAM

Great distance beam with a moderate amount of spread. Broad spot beam pattern Vision X lights use multiple 10° optics or Iris Reflectors that are specifically arranged to still provide a large amount of distance with the added benefit of spread.




Because your safety is our priority! We give you an outstanding visibility for rest your eyes all night long! The massive light output increase your enjoyment and security of driving.

The bracket is specially designed to handle vibrations out of the ordinary. With a vibration rating of 21.2 Grms, the lamp can handle vibrations without problems even in the most exposed places.

Amber or white position light?

Give your style and personality to stand out from the crowd! Choose between White or Amber position light.

With a separate wire, you'll be able to rig the position light up as a daytime running light.



WHITE POSITION LIGHT





AMBER POSITION LIGHT

Item#: VWRHA043010E



COLOR DESIGN

Choose between White or Amber the color of position light for an outstanding light effect, perfectly positioned in a circle.



All models are E-approved as driving light ECE R112.01.

45"/240mm





TECHNICAL INFORMATION

9.25"/235mm







WITH ONLY 8,8cm DEPTH

3.46"/88mm











| ITEM# | POSITION LIGHT COLOR | RAW LUMENS | WATTAGE | AMP DRAW @12V | DIMENSIONS | ROAD LEGAL |
|--------------|----------------------|------------|---------|---------------|-----------------|-------------|
| VWRH043010E | White | 6.371 lm | 48W | 2A | 235 x 240x88 mm | ECE R112.01 |
| VWRHA043010E | Amber | 6.371 lm | 48W | 2A | 235 x 240x88 mm | ECE R112.01 |



The amber position light is not allowed in certain EU countries, please check first with your local authority for road legislation.

All prices are VAT excluded - Prices are subject to change without notice.

Price:

345,35€_{PCS.}




MULTI LED

Multi LED With an optimized light beam Iris Reflectors to provide a spread of light at a distance. Beam: 10° SPOT

Item#: VWR041810







ADJUSTABLE TRUNNION BRACKET

This support system allows adjustable tilt angle of the lighting; use the 4 points bolts on the sides to adjust the best lighting position.

Vibration Rating: 21.2 Grms

THUNDER DRIVING LIGHT WHAT ELSE WITH PERFORMANCE

BROAD SPOT BEAM

Great distance beam with a moderate amount of spread. Broad spot beam pattern Vision X lights use multiple 10° optics or Iris Reflectors that are specifically arranged to still provide a large amount of distance with the added benefit of spread.



Because your safety is our priority! We give you an outstanding visibility for rest your eyes all night long!

The massive light output increase your enjoyment and security of driving.

The bracket is specially designed to handle vibrations out of the ordinary. With a vibration rating of 21.2 Grms, the lamp can handle vibrations without problems even in the most exposed places.

| | 100 | 200 | 300 | 400 I | 500 | 600 | 700 |
|-------|----------|----------|-----------|--|---------------|--------|--------|
| 185mm | <u> </u> | <u> </u> | | | \rightarrow | 530 m. | |
| | Т | Т | 8.730 | IM. | | | |
| 223mm | | | | | 14.55 | i0 lm. | 690 m. |
| Τ | 3000 | 6000 | 9000 | 12.000 | 15.000 | 18.000 | 21.000 |

METERS LUMENS

DISTANCE AND LUMEN OUTPUT CAMPARISON

| TECHNICAL | INFORMATION | | 9-32V 50,000 HR IP-68 | IP69K -40' ~ +80'C | AL (21.2) 6061 |
|----------------------------|---------------------------------------|--------------|-----------------------|--------------------|-------------------|
| ITEM# | RAW LUMENS | WATTAGE | AMP DRAW @12V | DIMENSIONS | PRICE |
| VWR041810 | 4.365 lm | 63W | 5.25A | 185 x 189 76 mm | € 273,22 |
| VWR041810WFKIT | 8.730 lm | 126W | 10.5 A | 185 x 189 76 mm | € 602,39 |
| VWR043010 | 7.275 lm | 105W | 8.75A | 223 x 228 76 mm | € 328,08 |
| VWR043010WFKIT | 14.550 lm | 210W | 17.5A | 223 x 228 76 mm | € 712,12 |
| KIT includes: 2 lights, | Harness, 2 Flood Covers | | | | |
| All prices are VAT exclude | ed - Prices are subject to change wit | hout notice. | | | |


POSITION LIGHT

Choose between White or Amber position light. With a separate wire, you'll be able to rig the position light up as a daytime running light.

The amber position light is not allowed in certain EU countries, please check first with your local authority for road legislation.








EXTREME / SPOT BEAM

Longest distance beam with the smallest spread that is ideal at high speeds. Vision X lights with a spot beam will be equipped with our Iris Reflector Technology.





OPTIMUS LED LIGHT MORE VERSATILE



TECHNICAL INFORMATION 33 00 11 0 1 0 15.61













| ITEM# | POSITION COLOR | RAW LUMENS | WATTAGE | AMP DRAW @12V | DIMENSIONS | ROAD LEGAL | PRICE |
|-----------------|----------------|------------|---------|---------------|-----------------|-------------|---------|
| XIL-OPRH115 | White | 1.052 lm | 10W | 0.83A | 92 x 92 x 97 mm | ECE R112.01 | €152,52 |
| XIL-OPRH115KIT | White | 2.104 lm | 20W | 1.66A | 92 x 92 x 97 mm | ECE R112.01 | €306,13 |
| XIL-OPRHA115 | Amber | 1.052 lm | 10W | 0.83A | 92 x 92 x 97 mm | ECE R112.01 | €152,52 |
| XIL-OPRHA115KIT | Amber | 2.104 lm | 20W | 1.66A | 92 x 92 x 97 mm | ECE R112.01 | €306,13 |
| XIL-OPH115 | White | 1.052 lm | 10W | 0.83A | 92 x 92 x 97 mm | ECE R112.01 | €152,52 |
| XIL-OPH115KIT | White | 2.104 lm | 20W | 1.66A | 92 x 92 x 97 mm | ECE R112.01 | €306,13 |
| XIL-OPHA115 | Amber | 1.052 lm | 10W | 0.83A | 92 x 92 x 97 mm | ECE R112.01 | €152,52 |
| XIL-OPHA115KIT | Amber | 2.104 lm | 20W | 1.66A | 92 x 92 x 97 mm | ECE R112.01 | €306,13 |

SNAP-ON OPTIMUS COVERS

21 LIGHTS IN 1

Each Light is 21 Lights In One with the help of the unbreakable polycarbonate snap-on covers that can alter the beam pattern and change the color of the Cannon. Tackle any weather condition with the proper color cover, or quickly change your spot cover to a flood cover for a wider beam when necessary.

COLOR OPTIONS



Covers the fixture with a solid black protective cover with a high contrast "X" logo. Required in select states for on-road use.



CLEAR I PROTECTIVE

Protects light from dust, debris and particulates without changing light color or performance.



Battles fog conditions by reducing the amount of blue light. Mimics classic Halogen color temperature. Great for driving in fog at high speeds.




BLUE | SNOW

Increases lighting distance when used in snow conditions by reflecting the blue light off the snow. Recommended for vehicles in heavy winter conditions



Reduces light temperature and glare back in order to enhance penetration in dust and air particulate. Ideal for vehicles in extreme dust conditions.

BEAM OPTIONS





Spot covers maintain original lighting beam pattern while protecting the lens from harmful debris.



COMBO

Combo covers combine the distance of a spot cover with the added peripheral illumination of a elliptical cover.



EUR0

Illuminate some peripherals while maintaining effective distance.



ELLIPTICAL

Reduces peripheral illumination while losing minor distance



Maximum wide field of view illumination in exchange for distance.



Maximum vertical field of view illumination in exchange for distance.


76mm MINI CANNON / OPTIMUS ITEM# **BEAM PRICE** ITEM# **BEAM PRICE** PCV-OPR1 SP0T €16,46 PCV-OPR1B €16,46 EUR0 €16,46 PCV-OPR1BEU €16,46 TRAIL FLOOD PCV-OPR1FI €16,46 PCV-OPR1BFL TRAIL FLOOD €16,46 WIDE FLOOD €16.46 WIDE FLOOD €16.46 PCV-OPR1EL ELLIPTICAL ITEM# BEAM PRICE ITEM# BEAM **PRICE** SP0T PCV-0PR1Y SP0T PCV-0PR1R €16.46 EURO PCV-OPR1YEU €16,46 €16,46 TRAIL FLOOD PCV-OPR1YFL €16,46 TRAIL FLOOD PCV-OPR1YWF €16,46 WIDE FLOOD PCV-OPR1YEL ELLIPTICAL PCV-OPR1REL ELLIPTICAL ITEM# SIZE





CG2 MINI CANNON FOG LIGHT

oncoming traffic.



ELLIPTICAL / FOG BEAM

Flat forward spread that keeps low to the ground. This unique pattern is perfect for onroad use and is projected using a special optic type that is specifically engineered to keep the light low the ground as to not blind oncoming vehicles.

Take the streets with the new Vision X FOG series lights. Our redesigned CG2 internals now feature our patented photon core along with our tuned mixed precision optics to be able to be used on-road but still provide the same durability to handle any off-road adventure. Choose between our smaller CG2 mini cannons for an ultra-wide fog beam or our 92mm CG2 Light Cannon for high beam applications.




| TECHN | ICAL INFORM | ATION | | 9-32V 50,00 | IP-68 | IP69K -40° | | 21.2 Grms |
|-------|----------------------------|----------------|------------------|-------------|----------|----------------|---------|--------------|
| | ITEM# | BEAM | LENS COLOR | RAW LUMENS | DISTANCE | DIMENSIONS | WATTAGE | PRICE |
| | CG2-CRP1FOG | Elliptical | Clear | 2.160 lm | 75 m | 92 x 92 x 97mm | 20W | € 163,89 |
| | CG2-CRP1F0GKIT | Elliptical | Clear | 4.320 lm | 82 m | 92 x 92 x 97mm | 40W | € 328,08 |
| | CG2-CRP1F0GSY | Elliptical | Selective Yellow | 2.160 lm | 75 m | 92 x 92 x 97mm | 20W | € 163,89 |
| | CG2-CRP1F0GSYKIT | Elliptical | Selective Yellow | 4.320 lm | 82 m | 92 x 92 x 97mm | 40W | € 328,08 |
| | CG2-OP1FOG | Elliptical | Clear | 2.160 lm | 75 m | 76 x 80 x 97mm | 20W | € 163,89 |
| | CG2-0P1F0GKIT | Elliptical | Clear | 4.320 lm | 82 m | 76 x 80 x 97mm | 40W | € 328,08 |
| | CG2-0P1F0GSY | Elliptical | Selective Yellow | 2.160 lm | 75 m | 76 x 80 x 97mm | 20W | € 163,89 |
| | CG2-0P1F0GSYKIT | Elliptical | Selective Yellow | 4.320 lm | 82 m | 76 x 80 x 97mm | 40W | € 328,08 |
| | KIT includes: 2 lights + W | /iring Harness | | | | | | WEAD |

One main 12W LED produces the wide spread low beam with the White color of position light for an help of 5W LEDs on the sides to fill in the roadway directly in outstanding light effect, perfectly front of your vehicle. positioned in a ring.



long range high beam. Item# P-HLHI4 LOW BEAM / HIGH BEAM OUTPUT CAMPARISON

beam utilize Iris Reflectors to produce a





LOW BEAM









HIGH BEAM

POSITION LIGHT
















| ITEM# | COLOR | RAW LUMENS | WATTAGE | DRIVING SIDE | DIMENSIONS | ROAD LEGAL | PRICE |
|----------------|--------------|------------|---------|------------------|-------------------|-------------|----------|
| XIL-7RELKIT | Chrome | 8.420 lm | 84W | Left-hand drive | 177 x 177 x 98 mm | ECE R112.01 | € 817,17 |
| XIL-7RELBKIT | Black Chrome | 8.420 lm | 84W | Left-hand drive | 177 x 177 x 98 mm | ECE R112.01 | € 817,17 |
| XIL-7RELFMBKIT | Black Matte | 8.420 lm | 84W | Left-hand drive | 177 x 177 x 98 mm | ECE R112.01 | € 817,17 |
| XIL-7RERKIT | Chrome | 8.420 lm | 84W | Right-hand drive | 177 x 177 x 98 mm | ECE R112.01 | € 817,17 |
| XIL-7RERBKIT | Black Chrome | 8.420 lm | 84W | Right-hand drive | 177 x 177 x 98 mm | ECE R112.01 | € 817,17 |
| XIL-7RERFMBKIT | Black Matte | 8.420 lm | 84W | Right-hand drive | 177 x 177 x 98 mm | ECE R112.01 | € 817,17 |


All prices are VAT excluded - Prices are subject to change without notice.





COMBO / DRIVING BEAM

Added peripheral illumination with the benefit of distance and spread. Similar to the broad spot beam, Vision X lights that produce a combo/mixed beam are equipped with multiple optics with varying degrees that angle light outward towards the side of your vehicle but still maintain distance and spread.





The E-Mark Approved VX Series LED Headlight leads the LED Headlight industry in both style and performance.
With an integrated LED Halo Ring, the VX Headlight is sure to turn heads while also delivering a dramatically improved night driving experience over factory headlights. The VX Series is currently available in 7" Round with a Polished Chrome finish, Black matte finish or a Black Chrome finish.

E-approved as driving light ECE R112.01.







LED LIGHT BAR BLACK EDITION

The Xmitter Prime Xtreme is the newest generation of the original Xmitter Bar packed with new technology. It features Prime Drive for electronic thermal management and dimming capability. 5 Watt LEDs increase light output to 528 lumens per LED.


BLACK BACKGROUND EDITION

Give your style and personality to stand out from the crowd!

E-approved as driving light **ECE R112.01.**








COMBO / DRIVING BEAM

Added peripheral illumination with the benefit of distance and spread. Similar to the broad spot beam, Vision X lights that produce a combo/mixed beam are equipped with multiple optics with varying degrees that angle light outward towards the side of your vehicle but still maintain distance and spread.





| TECHNI | CAL INFO | RMATI | ON | 9-32 | V 50,000 HR IP-6 | A 8 -40° ~ +80°C 60 | | 15.6 G _{ms} |
|--------------|--------------|----------|------------|-----------|------------------|------------------------|-------------|-------------------------|
| ITEM# | BEAM | DISTANCE | RAW LUMENS | WATTAGE | AMP DRAW @12V | DIMENSIONS | ROAD LEGAL | PRICE |
| XIL-PX1210BL | 10° Spot | 280m | 6,336 lm | 60W | 5A | 201 x 88 x 84 mm | ECE R112.01 | € 415,8 |
| XIL-PX1810BL | 10° Spot | 330m | 9.504 lm | 90W | 7.5A | 282 x 88 x 84 mm | ECE R112.01 | € 547,5 |
| XIL-PX30MBL | Mixed 10/40° | 429m | 15.840 lm | 150W | 12.5A | 444 x 88 x 84 mm | ECE R112.01 | € 876,7 |
| XIL-PX36MBL | Mixed 10/40° | 530m | 19.008 lm | 180W | 17.5A | 525 x 88 x 84 mm | ECE R112.01 | € 986,4 |
| | | | NO E-MARKE | D - OUTST | TANDING LIGHT | OUTPUT | | |
| XIL-PX54MBL | Mixed 10/40° | 600m | 28.512 lm | 270W | 25A | 768 x 88 x 84 mm | NO | € 1.535, |
| XIL-PX78MBL | Mixed 10/40° | 630m | 41.244 lm | 390W | 36A | 1131 x 88 x 84 mm | NO | € 2.193 |
| XIL-PX90MBL | Mixed 10/40° | 680m | 47.520 lm | 450W | 37.5A | 1254 x 88 x 84 mm | NO | € 2.522 |



10 WATT LED

10 watt per LED with an optimized light beam Iris Reflectors to provide a spread of light at a distance.








LED LIGHT BAR MAKE AN IMPACT

E-approved as driving light ECE R112.01 and O.E.M. Certified ECE R10.05





COMBO / DRIVING BEAM

Added peripheral illumination with the benefit of distance and spread. Similar to the broad spot beam, Vision X lights that produce a combo/ mixed beam are equipped with multiple optics with varying degrees that angle light outward towards the side of your vehicle but still maintain distance and spread

The drivers first choice! We give you an outstanding visibility and literally turns night into day on a long distance, pushing out 1 lux at 675 meters (XPR-27M). Mount it on the roof or in the grille with our integration kits and the massive light output increase your enjoyment and security of driving.




DISTANCE AND LUMEN OUTPUT CAMPARISON

ANTI-MOISTURE

An Nitto Denko valve function that

release the moisture.



TECHNICAL INFORMATION















| ITEM# | DISTANCE | RAW LUMENS | WATTAGE | AMP DRAW @12V | DIMENSIONS | ROAD LEGAL | PRICE |
|---------|----------|--------------|----------|----------------|-------------------|-------------|------------|
| XPR-3S | 316m | 3.237 lm | 30W | 1.25A | 156 x 95 x 81 mm | ECE R112.01 | € 273,22 |
| XPR-6 | 385m | 6.474 lm | 60W | 2.5A | 291 x 95 x 81 mm | ECE R112.01 | € 328,08 |
| XPR-9M | 416m | 9.711 lm | 90W | 3.75A | 476 x 95 x 81 mm | ECE R112.01 | € 437,80 |
| XPR-12M | 435m | 12.984 lm | 120W | 5A | 611 x 95 x 81 mm | ECE R112.01 | € 547,53 |
| XPR-15M | 495m | 16.185 lm | 150W | 12.5A | 746 x 95 x 81 mm | No | € 657,25 |
| XPR-18M | 534m | 19.422 lm | 180W | 15A | 881 x 95 x 81 mm | No | € 766,98 |
| XPR-21M | 565m | 22.659 lm | 210W | 17.5A | 1016 x 95 x 81 mm | No | € 876,70 |
| XPR-24M | 594m | 25.896 lm | 240W | 20A | 1150 x 95 x 81 mm | No | € 986,43 |
| XPR-27M | 675m | 29.133 lm | 270W | 22.5A | 1286 x 95 x 81 mm | No | € 1.096,15 |
| | DON'T | FORGET TO OR | DER YOUR | ADDITIONAL ACC | ESSORIES (P.29 | 9) | |

This item includes: 1 light Bar, Feet mount, 2 side wings mounts, 1 Deutsch connector, Harness

COMPATIBILITY:

Single Light Wiring Harness (Low Amp)

| XPR-3 | XPR-6 | XPR-9 | XPR-12 | PX-12 | PX-18 |

P-HARNESS-XIL

Price:

€ 45,28



COMPATIBILITY:

Dual Light Wiring Harness (Low Amp)

| XPR-3 | XPR-6 | XPR-9 | XPR-12 | PX-12 | PX-18 |

P-HARNESS-2XIL

Price:

€ 56,83

€ 16,46

SINGLE BAR - HIGH AMP



COMPATIBILITY:

Single Light Wiring Harness (High Amp)

| XPR-H15 | XPR-H18 | XPR-H21 | XPR-H24 | XPR-H27 | | PX-30 | PX-36 | PX-54 | PX-78 | PX-90 |

> € 56,83 P-HARNESS-HO Price:

DUAL BAR - HIGH AMP

29



COMPATIBILITY:

Dual Light Wiring Harness (High Amp)

| XPR-H15 | XPR-H18 | XPR-H21 | XPR-H24 | XPR-H27 | | PX-30 | PX-36 | PX-54 | PX-78 | PX-90 |

> € 68,38 Price: **P-HARNESS-2XILHO**





ACCESSORIES





€ 53,77 **XPI-EM** Price:



XPR COVERS:

VISION A LIGHTING

PX COVERS:






| ITEM# | COLOR | DIMENSIONS/MODEL | PRICE | ITEM# | COLOR | DIMENSIONS/MODEL | PRICE |
|-----------|-------|------------------|---------|----------|-------|------------------|---------|
| PCV-P12BL | Black | 201 mm PX-12 | € 42,79 | PCV-P12Y | Amber | 201 mm PX-12 | € 42,79 |
| PCV-P18BL | Black | 283 mm PX18 | € 42,79 | PCV-P18Y | Amber | 283 mm PX18 | € 42,79 |
| PCV-P30BL | Black | 444 mm PX30 | € 42,79 | PCV-P30Y | Amber | 444 mm PX30 | € 42,79 |
| PCV-P36BL | Black | 525 mm PX36 | € 42,79 | PCV-P36Y | Amber | 525 mm PX36 | € 42,79 |
| PCV-P54BL | Black | 768 mm PX54 | € 49,38 | PCV-P54Y | Amber | 768 mm PX54 | € 49,38 |
| PCV-P78BL | Black | 1131 mm PX78 | € 53,77 | PCV-P78Y | Amber | 1131 mm PX78 | € 53,77 |

| ITEM# | COLOR | DIMENSIONS/MODEL | PRICE | ITEM# | COLOR | DIMENSIONS/MODEL | PRICE |
|----------------------|-------------|-------------------------------------|---------|-------------|-------|------------------|---------|
| PCV-XP3SBL | Black | 156 mm XPR-3 | € 38,40 | PCV-XP15MBL | Black | 746 mm XPR-15 | € 49,38 |
| PCV-XP6SBL | Black | 291 mm XPR-6 | € 42,79 | PCV-XP18MBL | Black | 881 mm XPR-18 | € 53,77 |
| PCV-XP9MBL | Black | 476 mm XPR-9 | € 42,79 | PCV-XP21MBL | Black | 1016 mm XPR-21 | € 53,77 |
| PCV-XP12MBL | Black | 611 mm XPR-12 | € 49,38 | PCV-XP24MBL | Black | 1150 mm XPR-24 | € 60,35 |
| | | | | PCV-XP27MBL | Black | 1286 mm XPR-27 | € 60,35 |
| All main and MAT and | aladad Dian | are subject to change without notic | | | | | |

ANTI-MOISTURE

An Nitto Denko valve function that release the moisture.





10 WATT LED

10 watt per LED with an optimized light beam Iris Reflectors to provide a spread of light at a

POSITION LIGHT

White position light with a separate wire, you'll be able to rig the position Light up as a daytime running light.







LED LIGHT BAR MAKE AN IMPACT

E-approved as driving light ECE R112.01 and O.E.M. Certified ECE R10.05




BAR

LIGHT

COMBO / DRIVING BEAM

Added peripheral illumination with the benefit of distance and spread. Similar to the broad spot beam, Vision X lights that produce a combo/mixed beam are equipped with multiple optics with varying degrees that angle light outward towards the side of your vehicle but still maintain distance and spread.




DISTANCE AND LUMEN OUTPUT CAMPARISON

The drivers first choice! We give you an outstanding visibility and literally turns night into day on a long distance, pushing out 1 lux at 675 meters (XPR-H27M). Mount it on the roof or in the grille with our integration kits and the massive light output increase your enjoyment and security of driving.

White position light?

Give your style and personality to stand out from the crowd! Choose white position light with a separate wire, you'll be able to rig the position light up as a daytime running light.





TECHNICAL INFORMATION


















| | | | 11-32V 50,00 | OO HR IP-68 IP6 | 9K -40° ~ +80°C 6 | 061 (<u>EMARI</u> | |
|----------|----------|--------------|--------------|-----------------|-------------------|--------------------|-----------|
| ITEM# | DISTANCE | RAW LUMENS | WATTAGE | AMP DRAW @12V | DIMENSIONS | ROAD LEGAL | PRICE |
| XPR-H3S | 316m | 3.237 lm | 30W | 1.25A | 156 x 95 x 81 mm | ECE R112.01 | € 284,19 |
| XPR-H6E | 385m | 6.474 lm | 60W | 2.5A | 291 x 95 x 81 mm | ECE R112.01 | € 459,75 |
| XPR-H9M | 416m | 9.711 lm | 90W | 3.75A | 476 x 95 x 81 mm | ECE R112.01 | € 514,61 |
| XPR-H12M | 435m | 12.984 lm | 120W | 5A | 611 x 95 x 81 mm | ECE R112.01 | € 646,28 |
| XPR-H15M | 495m | 16.185 lm | 150W | 12.5A | 746 x 95 x 81 mm | No | € 777,95 |
| XPR-H18M | 534m | 19.422 lm | 180W | 15A | 881 x 95 x 81 mm | No | € 909,63 |
| XPR-H21M | 565m | 22.659 lm | 210W | 17.5A | 1016 x 95 x 81 mm | No | € 1.041,2 |
| XPR-H24M | 594m | 25.896 lm | 240W | 20A | 1150 x 95 x 81 mm | No | € 1.172,9 |
| XPR-H27M | 675m | 29.133 lm | 270W | 22.5A | 1286 x 95 x 81 mm | No | € 1.304,6 |
| | | DON'T FORGET | TO ORDER \ | OUR ADDITIONA | L ACCESSORIES | S (P.36) | |


This item includes: 1 light Bar, Feet mount, 2 side wings mounts, 1 Deutsch connector, Harness



10 watt per LED with an optimized light beam Iris Reflectors to provide a spread of light at a distance.










LED LIGHT BAR MAKE AN IMPACT

E-approved as driving light ECE R112.01 and O.E.M. Certified ECE R10.05

COMBO / DRIVING BEAM

Added peripheral illumination with the benefit of distance and spread. Similar to the broad spot beam, Vision X lights that produce a combo/mixed beam are equipped with multiple optics with varying degrees that angle light outward towards the side of your vehicle but still maintain distance and spread.




The drivers first choice! We give you an outstanding visibility and literally turns night into day on a long distance, pushing out 1 lux at 675 meters (XPR-H27M). Mount it on the roof or in the grille with our integration kits and the massive light output increase your enjoyment and security of driving.

White position light?

Give your style and personality to stand out from the crowd! Choose white position light with a separate wire, you'll be able to rig the position light up as a daytime running light.



DISTANCE AND LUMEN OUTPUT CAMPARISON



TECHNICAL INFORMATION















| | | | 11-32 0 30,00 | 30 III - 00 III 0 | JII 40 100 0 01 | CI (EIIIAILI | |
|-----------|----------|--------------|---------------|-------------------|-------------------|--------------|---------|
| ITEM# | DISTANCE | RAW LUMENS | WATTAGE | AMP DRAW @12V | DIMENSIONS | ROAD LEGAL | PRICI |
| XPR-HA3S | 316m | 3.237 lm | 30W | 1.25A | 156 x 95 x 81 mm | ECE R112.01 | € 284, |
| XPR-HA6E | 385m | 6.474 lm | 60W | 2.5A | 291 x 95 x 81 mm | ECE R112.01 | € 459, |
| XPR-HA9M | 416m | 9.711 lm | 90W | 3.75A | 476 x 95 x 81 mm | ECE R112.01 | € 514, |
| XPR-HA12M | 435m | 12.984 lm | 120W | 5A | 611 x 95 x 81 mm | ECE R112.01 | € 646, |
| XPR-HA15M | 495m | 16.185 lm | 150W | 12.5A | 746 x 95 x 81 mm | No | € 777, |
| XPR-HA18M | 534m | 19.422 lm | 180W | 15A | 881 x 95 x 81 mm | No | € 909 |
| XPR-HA21M | 565m | 22.659 lm | 210W | 17.5A | 1016 x 95 x 81 mm | No | € 1.041 |
| XPR-HA24M | 594m | 25.896 lm | 240W | 20A | 1150 x 95 x 81 mm | No | € 1.172 |
| XPR-HA27M | 675m | 29.133 lm | 270W | 22.5A | 1286 x 95 x 81 mm | No | € 1.304 |
| | | DON'T FORGET | TO ORDER \ | YOUR ADDITIONA | L ACCESSORIES | S (P.36) | |

This item includes: 1 light Bar, Feet mount, 2 side wings mounts, 1 Deutsch connector, Harness



The amber position light is not allowed in certain EU countries, please check first with your local authority for road legislation.






LED LIGHT BAR

E-approved as driving light **ECE R112.01**



BROAD SPOT BEAM

Great distance beam with a moderate amount of spread. Broad spot beam pattern Vision X lights use multiple 10° optics or Iris Reflectors that are specifically arranged to still provide a large amount of distance with the added benefit of spread.



The XPR-Curved has been updated with new IRIS reflector technology to give 40-90% more distance than the XPR series, a Custom beam pattern that offers you great distance with spread to the beam and black aluminum housing.

The XPR curved comes standard with an multi-volt 11-32V DC input.

Coming with Prime Drive for enhanced reliability & output and our new 10 watt LED's this light has an extraordinary light output.

White position light?

Give your style and personality to stand out from the crowd! A white position light with a separate wire, you'll be able to rig the position light up as a daytime running light.



DISTANCE AND LUMEN OUTPUT CAMPARISON 100 200 300 400 500 600 700 XPR-HC11 11.880 lm. XPR-HC17 18.360 lm. XPR-HC22 23.760 lm. XPR-HC28 30.240 lm. XPR-HC28 30.240 lm. METERS LUMENS

TECHNICAL INFORMATION



500mm/1370mm









14"/80mm







| ITEM# | DISTANCE | RAW LUMENS | WATTAGE | AMP DRAW @12V | LENGHT | ROAD LEGAL | PRICE |
|----------|----------|---------------|-----------|-----------------|------------|-------------|------------|
| XPR-HC11 | 430m | 11.880 lm | 110W | 9.17A | 500 mm | ECE R112.01 | € 843,79 |
| XPR-HC17 | 465m | 18.360 lm | 170W | 14.17A | 790 mm | ECE R112.01 | € 1.118,10 |
| XPR-HC22 | 565m | 23.760 lm | 220W | 18.33A | 1010 mm | No | € 1.348,52 |
| XPR-HC28 | 612m | 30.240 lm | 280W | 23.33A | 1270 mm | No | € 1.622,83 |
| XPR-HC30 | 675m | 32.400 lm | 300W | 25A | 1370 mm | No | € 1.732,56 |
| | DON' | T FORGET TO O | RDER YOUR | ADDITIONAL ACCI | ESSORIES (| P.36) | |

This item includes: 1 light Bar, 2 side wings mounts, 1 Deutsch connector, Harness





Price:

€ 53,77

COMPATIBILITY:

Dual Light Wiring Harness (Low Amp)

| XPR-H3 | XPR-H6 | XPR-H9 | XPR-H12 | | XPR-HC11 |



DUAL BAR WITH HALO FUNCTION



P-HARNESS-2XIL.3PIN

Price:

€ 66,48

DUAL BAR - HIGH AMP



P-HARNESS-2XILHO

Price:

COMPATIBILITY:

Dual Light Wiring Harness (High Amp)

| XPR-H15 | XPR-H18 | XPR-H21 | XPR-H24 | | XPR-H27 | XPR-HC17 | XPR-HC22 | XPR-HC28 | | XPR-HC30 |



COMPATIBILITY:

Single Light Wiring Harness (Low Amp)

| XPR-H3 | XPR-H6 | XPR-H9 | XPR-H12 | | XPR-HC11 |



SINGLE BAR WITH HALO FUNCTION



P-HARNESS-XIL.3PIN

Price:

€ 61,38

SINGLE BAR - HIGH AMP



P-HARNESS-HO

Price:

€ 56,83

€ 68,38

COMPATIBILITY:

Single Light Wiring Harness (High Amp)

| XPR-H15 | XPR-H18 | XPR-H21 | XPR-H24 |

XPR-H27 | XPR-HC17 | XPR-HC22 | XPR-HC28 |

XPR-HC30 |



VISION A LIGHTING

| ITEM# | COLOR | DIMENSIONS/MODEL | PRICE |
|-------------|-------|------------------|---------|
| PCV-XP3SBL | Black | 156 mm XPR-3 | € 38,40 |
| PCV-XP6SBL | Black | 291 mm XPR-6 | € 42,79 |
| PCV-XP9MBL | Black | 476 mm XPR-9 | € 42,79 |
| PCV-XP12MBL | Black | 611 mm XPR-12 | € 49,38 |
| PCV-XP15MBL | Black | 746 mm XPR-15 | € 49,38 |
| PCV-XP18MBL | Black | 881 mm XPR-18 | € 53,77 |
| PCV-XP21MBL | Black | 1016 mm XPR-21 | € 53,77 |
| PCV-XP24MBL | Black | 1150 mm XPR-24 | € 60,35 |
| PCV-XP27MBL | Black | 1286 mm XPR-27 | € 60,35 |

REQUEST INFORMATION
Tell us what you are looking for!
+32 2 652 21 52




Not available for Curved



2.17"/55mm

1295mm



5 WATT LED

5 watt per LED with an optimized light beam Iris Reflectors to provide a spread of light at a distance.

Beam: 10° SPOT

POSITION LIGHT

Choose between White or Amber position light. With a separate wire, you'll be able to rig the position Light up as a daytime running light.



SLIM DESIGN

This slim lighting series makes a bigger impression than the size and low profile suggests.

ANTI-MOISTURE

An Nitto Denko valve function that release the moisture.



LED LIGHT BAR MAKE YOUR STYLE

EXTREME / SPOT BEAM

Longest distance beam with the smallest spread that is ideal at high speeds. Vision X lights with a spot beam will be equipped with our Iris Reflector Technology.




The slim design combined with an attractive position light and high light output make it one of the most wanted light bars on the market. Design, performance and quality surpasses even the highest expectations. Mount it on the roof cab or in the grille with our integration kits and the massive light output increase your enjoyment and security of driving.

Amber or white position light?

Give your style and personality to stand out from the crowd! Choose between White or Amber position light. With a separate wire, you'll be able to rig the position light up as a daytime running light.



DISTANCE AND LUMEN OUTPUT CAMPARISON



TECHNICAL INFORMATION

E-approved as Driving Light ECE R112.01.















| | | | 9 | -32V 50,000 HK | r-oo irosk 4 | 0 ~ +80 C OOO! (E | MAINT W |
|---------------------------------|----------|------------|---------|----------------|-------------------|-------------------|----------|
| ITEM# WITHOUT Accessories | DISTANCE | RAW LUMENS | WATTAGE | AMP DRAW @12V | DIMENSIONS | ROAD LEGAL | PRICE |
| XPL-H3 | 148m | 1.605 lm | 15W | 1.25A | 143 x 51 x 55 mm | No | € 159,00 |
| XPL-H6 | 280m | 3.210 lm | 30W | 1.25A | 239 x 51 x 55 mm | ECE R112.01 | € 179,00 |
| XPL-H9 | 330m | 4.815 lm | 45W | 1.87A | 335 x 51 x 55 mm | ECE R112.01 | € 229,00 |
| XPL-H15 | 429m | 8.025 lm | 75W | 3.12A | 527 x 51 x 55 mm | ECE R112.01 | € 369,00 |
| XPL-H24 | 550m | 12.840 lm | 120W | 10A | 815 x 51 x 55 mm | No | € 439,00 |
| XPL-H30 | 600m | 16.050 lm | 150W | 12.5A | 1007 x 51 x 55 mm | No | € 599,00 |
| XPL-H39 | 630m | 20.865 lm | 195W | 16.25A | 1295 x 51 x 55 mm | No | € 709,00 |



This item Without Accessories includes: 1 light Bar, Feet mount, 1 Deutsch connector The harness and the side wings mounts (XPL-LEM) are sold separately. (See p.44)




SLIM DESIGN


This slim lighting series makes a bigger impression than the size and low profile suggests.

ANTI-MOISTURE

An Nitto Denko valve function that release the moisture.







5 WATT LED

5 watt per LED with an optimized light beam Iris Reflectors to provide a spread of light at a distance.

Beam: 10° SPOT

POSITION LIGHT


Choose between White or Amber position light.

With a separate wire, you'll be able to rig the position Light up as a daytime running light.



LED LIGHT BAR MAKE YOUR STYLE

Longest distance beam with the smallest spread that is ideal at high speeds. Vision X lights with a spot beam will be equipped with our



DISTANCE AND LUMEN OUTPUT CAMPARISON

The slim design combined with an attractive position light and high light output make it one of the most wanted light bars on the market. Design, performance and quality surpasses even the highest expectations. Mount it on the roof cab or in the grille with our integration kits and the massive light output increase your enjoyment and security of driving.

Amber or white position light?

Give your style and personality to stand out from the crowd! Choose between White or Amber position light. With a separate wire, you'll be able to rig the position light up as a daytime running light.



XPL-HA3 XPL-HA6 XPL-HAS HA15 HA24 HA30 XPL-HA39 20.865 lm. METERS LUMENS

E-approved as driving light ECE R112.01.





TECHNICAL INFORMATION

















| ITEM# WITHOUT Accessories | DISTANCE | RAW LUMENS | WATTAGE | AMP DRAW @12V | DIMENSIONS | ROAD LEGAL | PRICE |
|---------------------------------|----------|------------|---------|---------------|-------------------|-------------|----------|
| XPL-HA3 | 148m | 1.605 lm | 15W | 1.25A | 143 x 51 x 55 mm | No | € 159,00 |
| XPL-HA6 | 280m | 3.210 lm | 30W | 1.25A | 239 x 51 x 55 mm | ECE R112.01 | € 179,00 |
| XPL-HA9 | 330m | 4.815 lm | 45W | 1.87A | 335 x 51 x 55 mm | ECE R112.01 | € 229,00 |
| XPL-HA15 | 429m | 8.025 lm | 75W | 3.12A | 527 x 51 x 55 mm | ECE R112.01 | € 369,00 |
| XPL-HA24 | 550m | 12.840 lm | 120W | 10A | 815 x 51 x 55 mm | No | € 439,00 |
| XPL-HA30 | 600m | 16.050 lm | 150W | 12.5A | 1007 x 51 x 55 mm | No | € 599,00 |
| XPL-HA39 | 630m | 20.865 lm | 195W | 16.25A | 1295 x 51 x 55 mm | No | € 709,00 |



This item Without Accessories includes: 1 light Bar, Feet mount, 1 Deutsch connector The harness and the side wings mounts (XPL-LEM) are sold separately. (See p.44)

The amber position light is not allowed in certain EU countries, please check first with your local authority for road legislation.



An Nitto Denko valve function that

release the moisture.

5 WATT LED

5 watt per LED with an optimized light beam Iris Reflectors to provide a spread of light at a distance.


Beam: 10° SPOT


POSITION LIGHT

White position light.

With a separate wire, you'll be able to rig the position Light up as a daytime running light.









LED LIGHT BAR

E-approved

All models are E-approved as driving light ECE R112.01 and O.E.M Certified ECE R10.05





BROAD SPOT BEAM


Great distance beam with a moderate amount of spread. Broad spot beam pattern Vision X lights use multiple 10° optics or Iris Reflectors that are specifically arranged to still provide a large amount of distance with the added benefit of spread.

The XPL Curved Halo Series LED Light Bar is our solution to growing demand for high performance curved light bars. We did it better and we are the first to do it featuring an ultra slim housing with high intensity single row 5W LEDs. Utilizing our Iris Reflector Technology coupled with the unique curve of the bar, the XPL Curved Series produces a broad spot beam pattern that reaches over 531m with up 20,865 raw lumens.

White position light?

Give your style and personality to stand out from the crowd! a white position light with a separate wire, you'll be able to rig the position light up as a daytime running light.





METERS LUMENS

TECHNICAL INFORMATION







IP-68











| ITEM# WITH Accessories | DISTANCE | RAW Lumens | WATTAGE | AMP DRAW @12V | DIMENSIONS | ROAD LEGAL | PRICE |
|------------------------------|----------|---------------|---------|------------------|---------------|-------------|------------|
| XPL-HC15EMH | 326m | 8.025 lm | 75W | 6.25A | 510x58x65mm | ECE R112.01 | € 591,42 |
| XPL-HC23EMH | 402m | 12.305 lm | 115W | 9.58A | 762x58x82mm | ECE R112.01 | € 745,03 |
| XPL-HC31EMH | 463m | 16.585 lm | 155W | 12.92A | 1016x58x104mm | ECE R112.01 | € 909,62 |
| XPL-HC39EMH | 531m | 20.865 lm | 195W | 16.25A | 1273x58x134mm | ECE R112.01 | € 1.041,29 |





XPL-LEM

Price:

€ 31,82

COMPATIBILITY:

Dual Light Wiring Harness (Low Amp)

| XPL-H3 | XPL-H6 | XPL-H9 | XPL-H15 | XPL-H24 | XPL-HC15 | XPL-HC23 |



DUAL BAR WITH HALO FUNCTION



P-HARNESS-2XIL.3PIN

Price:

€ 66,48

DUAL BAR - HIGH AMP



P-HARNESS-2XILHO

Price:

€ 68,38

COMPATIBILITY:

Dual Light Wiring Harness (High Amp)

| XPL-H30 | XPL-H34 | XPL-HC31 | XPL-HC39 |



COMPATIBILITY:

Single Light Wiring Harness (Low Amp)

| XPL-H3 | XPL-H6 | XPL-H9 | XPL-H15 | XPL-H24 | XPL-HC15 | XPL-HC23 |



SINGLE BAR WITH HALO FUNCTION



P-HARNESS-XIL.3PIN

Price:

€ 61,38

Not available for Curved

SINGLE BAR - HIGH AMP



P-HARNESS-HO

Price:

€ 56,83

COMPATIBILITY:

Single Light Wiring Harness (High Amp)

| XPL-H30 | XPL-H34 | XPL-HC31 | XPL-HC39 |





All prices are VAT excluded - Prices are subject to change without notice.



| ITEM# | COLOR | DIMENSIONS/MODEL | PRICE |
|-------------|-------|------------------|---------|
| PCV-XPL6BL | Black | 239 mm XPL-6 | € 42,79 |
| PCV-XPL9BL | Black | 335 mm XPL-9 | € 42,79 |
| PCV-XPL15BL | Black | 527 mm XPL-15 | € 49,38 |
| PCV-XPL24BL | Black | 815 mm XPL-24 | € 49,38 |
| PCV-XPL30BL | Black | 1007 mm XPL-30 | € 53,77 |
| PCV-XPL39BL | Black | 1295 mm XPL-39 | € 60,35 |
| PCV-XPL6Y | Amber | 239 mm XPL-6 | € 42,79 |
| PCV-XPL9Y | Amber | 335 mm XPL-9 | € 42,79 |
| PCV-XPL15Y | Amber | 527 mm XPL-15 | € 49,38 |
| PCV-XPL24Y | Amber | 815 mm XPL-24 | € 49,38 |
| PCV-XPL30Y | Amber | 1007 mm XPL-30 | € 53,77 |
| PCV-XPL39Y | Amber | 1295 mm XPL-39 | € 60,35 |

REQUEST INFORMATION
Tell us what you are looking for!
+32 2 652 21 52





SHOCKE LED LIGHT BAR DOUBLE IMPACT


E-approved as driving light **ECE R112.01**.





BROAD SPOT BEAM


Great distance beam with a moderate amount of spread. Broad spot beam pattern Vision X lights use multiple 10° optics or Iris Reflectors that are specifically arranged to still provide a large amount of distance with the added benefit of spread.



The All New Shocker X2 LED Light Bar packs two rows of our infamous Iris Reflectors with 5W ultra-bright LEDS to produce a wide and long-distance beam pattern that is prime for turning any nighttime adventure into daylight.

The dual row LEDs means that we are doubling the output when compared to most of our single row LED light bars making the Shocker X2 the newest and brightest addition to our LED light bar range. Lastly, the Shocker X2

also features our smooth back-lit halo function that our off-road lights are known for This new addition to the Shocker Series is available from 243mm-1295mm lengths.



TECHNICAL INFORMATION

















| ITEM# | DISTANCE | LED | LUMENS | WATTAGE | AMP DRAW @12V | DIMENSIONS | ROAD LEGAL | PRICE |
|--------------|----------|-------|-----------|---------|---------------|-------------------|-------------|------------|
| SHK-X2BH2.6 | 280m | 12x5W | 6.420 lm | 60W | 5A | 243 x 97 x 97 mm | ECE R112.01 | € 361,00 |
| SHK-X2BH2.15 | 539m | 30x5W | 16.050 lm | 150W | 5A | 551 x 97 x 97 mm | No | € 657,25 |
| SHK-X2BH2.24 | 760m | 48x5W | 25.680 lm | 240W | 12.3A | 819 x 97 x 97 mm | No | € 815,80 |
| SHK-X2BH2.30 | 860m | 60X5W | 32.100 lm | 300W | 20.64A | 1011 x 97 x 97 mm | No | € 1.096,30 |
| SHK-X2BH2.39 | 885m | 78x5W | 34.240 lm | 320W | 26.67A | 1295 x 97 x 97 mm | No | € 1.315,60 |
| | | | | | | | | |

SHOCKER LED LIGHT BAR **DUAL ACTION WHITE/AMBER**







CCHZ LED LIGHT BAR **DUAL ACTION WHITE/WHITE**





VECTOR REFLECTOR

BROAD SPOT BEAM

With the flip of a switch, the Shocker bar transforms your light into a driving spot beam that utilizes our newly designed Vector Reflector Technology to boost the beam pattern out to

PHOTON LIGHT CORE

WIDE ELLIPTICAL BEAM

The new Photon Light Core technology is the first of its kind. Our engineers designed the bottom half of the Shocker to produce a unique wide spread elliptical beam that keeps the light low to the ground.

TECHNICAL INFORMATION















| ITEM# | RAW LUMENS | WATTAGE | AMP DRAW @12V | DIMENSIONS | PRICE |
|-------------|--------------------|----------------|---------------|-------------------|------------|
| SHK-BV6WPW | 6.420 / 3.550 lm | 60 / 70 Watt | 5A | 304 x 83 x 97 mm | € 602,39 |
| SHK-BV12WPW | 12.840 / 7.100 lm | 125 / 140 Watt | 10A | 556 x 83 x 97 mm | € 1.205,88 |
| SHK-BV18WPW | 19.260 / 10.650 lm | 195 / 220 Watt | 17A | 808 x 83 x 97 mm | € 1.809,37 |
| SHK-BV24WPW | 25.680 / 14.200 lm | 240 / 300 Watt | 25A | 1060 x 83 x 97 mm | € 2.412,85 |
| | | | | | |





NEW PRODUCT

MODULAR LIGHT BAR

The UNITE Modular LED Light Bar System brings lighting power and customization to the forefront by allowing you to build your light bar with endless configurations. Our all-new quick connect mounting rail gives you the ability to easily slide on and swap around the modules you choose. Each module features a 4-LED advanced optic design that comes in 18 different styles to match your lighting needs.



SLIDE AND LOCK MOUNTING SYSTEM

The quick connect rail system makes it easy for you to slide on, re-arrange, or swap out modules and is secured using stainless steel hardware.

WATERPROOF CONNECTING PINS

The "H" power connectors slide into watertight rubber fittings on either side of the module to allow power to be transferred from one module to the next.

HEAVY DUTY WING MOUNTS

Designed to withstand the abuse of any off road adventure, the end cap wing mounts ensure your Unite Bar will stay secured to your vehicle and allow for precise light angle adjustments.



CUSTOMIZE LIGHTING CONFIGURATIONS

Choose between 18 different modules giving you complete control over your lighting.



QUICK CONNECT RAIL

Easily switch between modules to match your lighting style.




ADJUSTABLE AIMING

Slotted heavy duty wing mounts allow for precise lighting placement.

- Endless Lighting Configurations
 Straight And Curved Bar Styles
 Amber, White, Yellow Lens Options
 Spot, Flood, and Elliptical Beam Pattern Options
- Frosted And Black-Out Faceplate Styles
 Adjustable Aiming End Cap Wing Mounts
 Quick Connect Rail System
 IP-68/69K Rated Housing



OPTIONS






CURVED BAR

559 | 813 | 1068 | 1315 mm



MODULE STYLE OPTIONS



LENS COLOR OPTIONS

WHITE, AMBER, YELLOW



BEAM PATTERN OPTIONS **ELLIPTICAL, FLOOD, SPOT**



FACEPLATE OPTIONS

BLACKOUT OR FROSTED

LIGHT BARS

UNITE SPECIFICATION | PER MODULE

WHITE MODULE

20W | 1.67A | 2.112 Lumens



















YELLOW MODULE 20W | 1.67A | 2.112 Lumens





BROAD SPOT BEAM



WIDE Elliptical BEAM





UNITE | ACCESSORIES

| ITEM# | INCLUDE | PRICE |
|----------------|---|--------|
| P-UPPDTL | Unite Series Left Side Power Connector Deutsch And Power Plug | €28,88 |
| P-UPPDTR | Unite Series Right Side Power Connector Deutsch And Power Plug | €28,88 |
| P-UPPDTPL | Unite Series Left Side Power Connector High Amp Deutsch And Power Plug | €46,20 |
| P-UPPDTPR | Unite Series Right Side Power Connector High Amp Deutsch And Power Plug | €46,20 |
| P-HARNESS-XIL | Single Input Harness for 6"- 20" Unite Light Bar | €45,28 |
| P-HARNESS-2XIL | Dual Input Harness for 30" Unite Light Bar | €56,83 |
| P-HARNESS-2H0 | Dual Input Harness for 40" & 50" Unite Light Bar | €68,38 |
| P-UEP2FEETKIT | (2) Bottom Mounting Fit Kit with Side Cover Plates | €35,20 |
| P-UEP4FEETKIT | (4) Bottom Mounting Fit Kit with Side Cover Plates | €59,40 |
| P-UMPC | "H" Module Power Bridge Connector | €7,70 |
| P-UMPP | Module Power Plug | €3,85 |

P-HARNESS-XIL


P-UPPDTPR

P-UPPDTL

P-UMPP







Each Unite Rail includes:
• (1) Unite Rail

- (1-2) Power Connectors (Deutsch) Depending On Length
 (1) Set of End Cap Wing Mounts & Hardware
- (1) Wiring Harness



Straight

Straight

Straight

UNITE RAILS | CURVED

776mm

987mm

1269mm

VXU-MB30EMH

VXU-MB40EMH

VXU-MB50EMH

Each Unite Rail includes:

- (1) Unite Rail
- (1-2) Power Connectors (Deutsch) Depending On Length
 (1) Set of End Cap Wing Mounts & Hardware

€ 944,85

€ 1.275,20

€ 1.502.75

€195,20

• (1) Wiring Harness



| ITEM# | LENGTH | MODULE CAPACITY | STYLE | RAIL PRICE | RAIL+MODULES PRICE |
|--------------|--------|-----------------|--------|------------|--------------------|
| VXU-CMB20EMH | 559mm | 7 | Curved | €137,45 | €614,50 |
| VXU-CMB30EMH | 813mm | 11 | Curved | €206,75 | €956,40 |
| VXU-CMB40EMH | 1068mm | 15 | Curved | €276,05 | €1.298,30 |
| VXU-CMB50EMH | 1315mm | 18 | Curved | €299,15 | €1.525,85 |
| VXU-CMB54EMH | 1375mm | 19 | Curved | €299,15 | €1.594,00 |

UNITE | MODULES



Each Unite Module includes:

- (1) Unite Module with Rail Mounting Hardware
- (1) Module H-Connector • (1) Allen Wrench

| ITEM# | LENS COLOR | FACE PLATE COLOR | BEAM PATTERN | PRICE |
|----------------|------------|------------------|--------------|--------|
| VXU-S410 | Clear | Frosted | Spot | €68,15 |
| VXU-S440 | Clear | Frosted | Flood | €68,15 |
| VXU-S4E1545 | Clear | Frosted | Elliptical | €68,15 |
| VXU-S410AL | Amber | Frosted | Spot | €68,15 |
| VXU-S440AL | Amber | Frosted | Flood | €68,15 |
| VXU-S4E1545AL | Amber | Frosted | Elliptical | €68,15 |
| VXU-S410SY | Yellow | Frosted | Spot | €68,15 |
| VXU-S440SY | Yellow | Frosted | Flood | €68,15 |
| VXU-S4E1545 | Yellow | Frosted | Elliptical | €68,15 |
| VXU-SB410 | Clear | Black | Spot | €68,15 |
| VXU-SB440 | Clear | Black | Flood | €68,15 |
| VXU-SB4E1545 | Clear | Black | Elliptical | €68,15 |
| VXU-SB410AL | Amber | Black | Spot | €68,15 |
| VXU-SB440AL | Amber | Black | Flood | €68,15 |
| VXU-SB4E1545AL | Amber | Black | Elliptical | €68,15 |
| VXU-SB410SY | Yellow | Black | Spot | €68,15 |
| VXU-SB440SY | Yellow | Black | Flood | €68,15 |
| VXU-SB4E1545SY | Yellow | Black | Elliptical | €68.15 |














P-UEP2FEETKIT



ADJUSTABLE TRUNNION BRACKET


This support system allows adjustable tilt angle of the lighting; use the 4 points bolts on the sides to adjust the best lighting position. Vibration Rating: 15.6 Grms





LOW PROFILE LED LIGHT BAR







5 WATT LED

distance.

HORIZON LED LIGHT BAR



| TECHNICA | L INFORI | MATION | 9-32 | 50,000 HR IP-68 | | E EMARK | 15.6 G _{ms} |
|--|----------|------------|---------|-----------------|------------------|-------------|-------------------------|
| ITEM# | DISTANCE | RAW LUMENS | WATTAGE | AMP DRAW @12V | DIMENSIONS | ROAD LEGAL | PRICE |
| HORIZON LED LIGHT BAR (HPX series) | | | | | | | |
| CTL-HPX910 | 280m | 4.437 lm | 45W | 3.75A | 330 x 79 x 60 mm | ECE R112.01 | € 407,17 |
| CTL-HPX1210 | 330m | 5.916 lm | 60W | 5A | 426 x 79 x 60 mm | ECE R112.01 | € 509,20 |
| CTL-HPX1810 | 429m | 8.874 lm | 90W | 7.5A | 640 x 79 x 60 mm | ECE R112.01 | € 672,47 |
| | | | | | | | |
| III prices are VAT excluded - Prices are subject to change without notice. | | | | | | | |



PHOTON LIGHT CORE OPTIC

The XPL Fog Light Bar utilizes our new PLC optic technology to produce an ultra-wide elliptical beam that has a sharp cut-off to keep the light low to the ground and not blind oncoming traffic.



P-HARNESS-XIL

Price: € 45,28



P-HARNESS-2XIL

Price:

€ 56,83



273mm | 6 LED CLEAR LENS



198mm | 4 LED **CLEAR LENS**




123mm | 2 LED CLEAR LENS



FOG LED LIGHT BAR





ELLIPTICAL / FOG BEAM

Flat forward spread that keeps low to the ground . This unique pattern is perfect for onroad use and is projected using a special optic type that is specifically engineered to keep the light low the ground as to not blind oncoming vehicles.

Take to the new Vision X Fog series lights. Our re-designed XPL internals now feature our patented photon core technology that produces an ultra-wide fog beam with a sharp cut-off to not blind oncoming traffic, making it prime use. Available with our new selective yellow style lens, the XPL Fog light bar was built to tackle any weather conditions.





198mm | 4 LED SELECTIVE YELLOW LENS



123mm | 2 LED SELECTIVE YELLOW LENS

TECHNICAL INFORMATION













| | | 9-3 | 50,000 HK | 11 -00 11 05R -40 0 | |
|----------------|------------------|------------|-----------|---------------------|----------|
| ITEM# | LENS COLOR | RAW LUMENS | DISTANCE | DIMENSIONS | PRICE |
| XPL-F0G2 | Clear | 1.610 lm | 65,50 m | 123 x 51 x 67mm | € 174,90 |
| XPL-F0G2SY | Selective Yellow | 1.610 lm | 65,50 m | 123 x 51 x 67mm | € 174,90 |
| XPL-F0G2EMH* | Clear | 1.610 lm | 65,50 m | 123 x 51 x 67mm | € 251,90 |
| XPL-F0G2SYEMH* | Selective Yellow | 1.610 lm | 65,50 m | 123 x 51 x 67mm | € 251,90 |
| XPL-F0G4 | Clear | 3.220 lm | 141 m | 198 x 51 x 67mm | € 218,90 |
| XPL-F0G4SY | Selective Yellow | 3.220 lm | 141 m | 198 x 51 x 67mm | € 218,90 |
| XPL-F0G4EMH* | Clear | 3.220 lm | 141 m | 198 x 51 x 67mm | € 284,90 |
| XPL-F0G4SYEMH* | Selective Yellow | 3.220 lm | 141 m | 198 x 51 x 67mm | € 284,90 |
| XPL-F0G6 | Clear | 4.860 lm | 204 m | 273 x 51 x 67mm | € 273,90 |
| XPL-F0G6SY | Selective Yellow | 4.860 lm | 204 m | 273 x 51 x 67mm | € 273,90 |
| XPL-F0G6EMH* | Clear | 4.860 lm | 204 m | 273 x 51 x 67mm | € 306,90 |
| XPL-F0G6SYEMH* | Selective Yellow | 4.860 lm | 204 m | 273 x 51 x 67mm | € 306,90 |



The harness is sold separately. (See p.48)

*This item includes: 1 light Bar, 2 sides wings mount and Harness



BACK LIGHT




REVERSE LED LIGHT

EASY WORK, EASY WAY









ADJUSTABLE TRUNNION BRACKET

This support system allows adjustable tilt angle of the lighting; use the bolts on the sides to adjust the best lighting position.

Vibration Rating: 21.2 Grms, the lamp can handle vibrations without problems even in the most exposed places.

Because your safety is our priority! Our work lights meet the high expectations of professional drivers. Extreme affordability made for demanding tasks.

THE RIGHT PLACE OF LIGHT

Well suited for any vehicle where you have limited space. On the rack or as a reverse light.

E-approved as Reverse light **ECE R23**

DURA E490 LED LIGHT REVERSE LIGHT



TECHNICAL INFORMATION















| ITEM# | BEAM | RAW LUMENS | WATTAGE | AMP DRAW @12V | DIMENSIONS | ROAD LEGAL |
|-----------|------|------------|---------|---------------|-------------------|------------|
| DURA-E490 | 90° | 912 lm | 12W | 1.6A | 100 x 107 x 65 mm | ECE R23 |
| | | | | | | |

All prices are VAT excluded - Prices are subject to change without notice.

Price:

108.63€



OVERLAND 3 LED LIGHT REVERSE LIGHT



TECHNICAL INFORMATION















| ITEM# | BEAM | RAW LUMENS | WATTAGE | AMP DRAW @12V | DIMENSIONS | ROAD LEGAL | PRICE |
|------------------|-------------------|------------|---------|---------------|------------------|------------|---------|
| VW0503M | Mixed 60°/40°/60° | 1.140 lm | 15W | 0.62A | 119 x 72 x 51 mm | ECE R23 | €68,15 |
| VL0503M* | Mixed 60°/40°/60° | 1.140 lm | 15W | 0.62A | 119 x 72 x 51 mm | ECE R23 | €57,75 |
| VW0503MKIT** | Mixed 60°/40°/60° | 2.280 lm | 30W | 1.24A | 119 x 72 x 51 mm | ECE R23 | €209,00 |
| VW0503MREVKIT*** | Mixed 60°/40°/60° | 2.280 lm | 30W | 1.24A | 119 x 72 x 51 mm | ECE R23 | €219,00 |



* Without Deutsch connector

** Kit includes : 2 Lights + Harness

*** Kit includes : 2 Lights + Hareness + Extension Cord





The Mini Solo is designed as universal lighting for tight installations, where maximum light output is needed. | Highest Light Output Per Cubic Inch on the Market | Available Omni-Link Connected 3 Pods Together | Compatible with Select Solo Pod Accessories | Radial Fins Optimize Head Dissipation | Weatherproof Duetsch Connector | Colored LEDs Available

SOLO MINI LED LIGHT REVERSE LIGHT



ROAD LEGAL






The Solstice Solo Prime Pod offers area lighting for universal applications. The Solo provides powefull ladder, platform, and entrance lighting. | Compact design ideal for illuminating vehicle door area | Ideal for maintenance at the rear end of the vehicle | Flexible mounting configurations | Fast and reliable installation with DT connectors | Electronic thermal management | Reverse polarity operation

ECE R23

ROAD LEGA

SOLO PRIME LED LIGHT REVERSE LIGHT

TECHNICAL INFORMATION 9-32V ITEM# BEAM **RAW LUMENS** WATTAGE AMP DRAW @12V DIMENSIONS E-MARK XIL-MX110 528 lm 5W 0.42A 43 x 65 x 60 mm ECE R23 10° XIL-MX140 40° 528 lm 5W 0.42A 43 x 65 x 60 mm ECE R23 ECE R23 0.42A XIL-MX160 528 lm 43 x 65 x 60 mm Price: 86,88€ All prices are VAT excluded - Prices are subject to change without notice





ADJUSTABLE SUPPORT

This support system allows adjustable tilt angle of the lighting; use the 2 points bolts on the sides to adjust the best lighting position.




3 WATT LED


3W LED With an optimized light beam Iris Reflectors to provide a spread of light at a distance. Beam: 60° WIDE

FLUSH MOUNT









UF32 LED LIGHT REVERSE LIGHT

is light enough to be mounted anywhere.






DURA MINI LED LIGHT REVERSE LIGHT



| TECHNICAL INFORMATION | | | Multi-Vo 4 12-32 | V 50,000 HR IP-68 | 40° ~ +80°C NYLON EM | E 8.7 |
|------------------------|----------------------|------------------------------|------------------------|-------------------|----------------------|------------|
| ITEM# | BEAM | RAW LUMENS | WATTAGE | AMP DRAW @12V | DIMENSIONS | ROAD LEGAL |
| XIL-UF32 | 120° | 500 lm | 6W | 0.5A | 86 x 48 x 23 mm | ECE R23 |
| All prices are VAT exc | luded - Prices are s | subject to change without no | tice. | | Price | 86,68€ |








The Solstice Solo Pod offers area lighting for universal applications. The Solo provides powefull ladder, platform, and entrance lighting. | Compact design ideal for illuminating vehicle door area | Ideal for maintenance at the rear end of the vehicle | Flexible mounting configurations | Fast and reliable installation with DT connectors | Electronic thermal management | Reverse polarity operation

SOLSTICE SOLO LED LIGHT



| ECHNICAL | | Allon | | 9-42V 50,000 HR | IP-68 -40° ~ +80°C | AL (8.7) 6061 |
|--------------|---------|------------|---------|-----------------|--------------------|------------------|
| ITEM# | BEAM | RAW LUMENS | WATTAGE | AMP DRAW @12V | DIMENSIONS | PRICE |
| XIL-S1110 | 10° | 1.052 lm | 10 W | 0.83A | 52 x 82 x 62 mm | €108,63 |
| XIL-S1130 | 30° | 1.052 lm | 10 W | 0.83A | 52 x 82 x 62 mm | €108,63 |
| XIL-S1160 | 60° | 1.052 lm | 10 W | 0.83A | 52 x 82 x 62 mm | €108,63 |
| XIL-S11E3065 | 30°/65° | 1.052 lm | 10 W | 0.83A | 52 x 82 x 62 mm | €108,63 |







WHITE | REVERSE & UTILITY LIGHT



CHASER LED LIGHT BAR



The Vision X Chaser Bar provides high output color LEDs in a sleek, low profile housing with a bright flood beam pattern. This rear mounted light bar can be configured as your running and brake lights using standard Red, Amber and White LED's.

The Chaser Bar comes in two sizes to accommodate stock UTV (715mm) and after-market UTV (908mm) roll cages.





5 WATT LED

5 watt per LED and each LED has a 40° flood optic that allows for each light to produce a wide spread beam.

UNIVERSAL MOUNTING

The single bolt mounting system allows for simple

Item#: VWR050940

OUTLANDER LIGHT EASY WORK, EASY WAY 2 VEARS TO THE TOTAL PRINCIPLE WAY 50,000 HOURS



The Overlander Series LED Light offers outstanding light output in a functional design which can be easily adjusted with the single bolt bracket.

THE RIGHT PLACE OF LIGHT



Well suited for any vehicle where you have limited space. From fog lights to roof rack, Side lights and/or as a reverse light.

6LED | 30W | **2.50A 3,168 lm |** 0.45 kg 110 x 131 x 59mm



79,70€ Excl. VAT



68,15€ Excl. VAT









6LED | 30W | 2.50A

3,168 lm | 0.48 kg

110 x 131 x 59mm



VW0050840

8LED | 40W | 3.33A

4,224 lm | 0.68 kg

111 x 142 x 56mm

79,70€ Excl. VAT





VW0050640

6LED | 30W | **2.50A 3,168 lm** | 0.45 kg

111 x 142 x 56mm

68,15€ Excl. VAT

5LED | 20W | **1.67A 2,294 lm** | 0.58 kg 110 x 131 x 59mm





56.60€ Excl. VAT



45.05€ Excl. VAT





VWS030440

4LED | 12W | **1.0A 1,544 lm** | 0.31 kg

70 x 59 x 40mm



9LED | 45W | **3.75A 4,752 lm** | 0.68 kg 110 x 131 x 59mm



79,70€ Excl. VAT

9LED | 45W | 3.75A

4,752 lm | 0.73 kg

110 x 131 x 59mm

68,15€ Excl. VAT



5LED | 20W | **1.67A 2,294 lm** | 0.58 kg

110 x 131 x 59mm

56,60€ Excl. VAT

45,05€ Excl. VAT



MIXED BEAM

10°/30E65° Elliptical, perfect for area lighting.



8 WATT LED

8 watt per LED Combining the superior distance of 10° optics with two elliptical optics.



€185.77

DURA LED LIGHT MORE VERSATILE



The Duralux Series was designed with vehicles in mind. The sleek and compact housing coupled with either 4 or 6 high output LEDs makes it the perfect light for any automotive application.

From fog lights to roof rack and reverse lighting, the Duralux Series combines versatility with affordability to create the ultimate lighting solution for any vehicle.

COMBO / DRIVING BEAM

Added peripheral illumination with the benefit of distance and spread. Similar to the broad spot beam, Vision X lights that produce a combo/mixed beam are equipped with multiple optics with varying degrees that angle light outward towards the side of your vehicle but still maintain distance and spread.


BROAD SPOT BEAM

Great distance beam with a moderate amount of spread. Broad spot beam pattern Vision X lights use multiple 10° optics or Iris Reflectors that are specifically arranged to still provide a large amount of distance with the added benefit of spread.

FLOOD / WIDE FLOOD BEAM

Largest spread with the shortest distance. Vision X Lights with a flood beam will use multiple wide angle optics (40°,60°) to produce a wide spread beam that is ideal for work area and scene lighting.







TECHNICAL INFORMATION












7W LED







7.392 lm

60W

5.0A

All prices are VAT excluded - Prices are subject to change without notice.

DURA-660KIT

60° Wide Flood

KIT includes: 2 lights + Harness

€ 361,00

137 x 107 x 69 mm







TUBE CLAMP | MOUNTS

| 1110 | melades 2 olamps | | | | | | | |
|------|------------------|------|------|--------|--|--|--|--|
| ITE | M# | SIZE | BOLT | PRICE | | | | |
| XI | L-C075 | 19mm | M8 | €31,82 | | | | |
| ΧI | L-C100 | 25mm | M8 | €31,82 | | | | |
| ΧI | L-C125 | 32mm | M8 | €31,82 | | | | |
| ΧI | L-C150 | 38mm | M8 | €42,79 | | | | |
| ΧI | L-C175 | 45mm | M8 | €42,79 | | | | |

| ITEM# | SIZE | BOLT | PRICE |
|----------|------|------|--------|
| XIL-C200 | 50mm | M10 | €53,77 |
| XIL-C225 | 57mm | M10 | €75,71 |
| XIL-C250 | 64mm | M10 | €75,71 |
| XIL-C300 | 76mm | M10 | €75,71 |
| | | | |

SECURITY | HARDWARE

Security hardware helps protect your lights against theft by only allowing the use of the unique key tool that is supplied with each set.

All Security Hardware comes with 2 Security Nuts Or Bolts and 1 key tool.

SECURITY BOLTS

| ITEM# | SIZE | APPLICATION |
|------------|---------|------------------|
| XIL-SB0615 | M6 X 15 | XPR, XPR-S |
| XIL-SB0620 | M6 X 20 | Any M6 X 20 Bolt |
| XIL-SB0815 | M8 X 15 | Optimus, Duralux |
| XIL-SB0820 | M8 X 20 | Any M8 X 20 Bolt |
| XIL-SB0825 | M8 X 25 | Any M8 X 25 Bolt |
| | | |

SECURITY NUTS

| | | | 0_00 | |
|--------|------------|------|----------------------------------|--------|
| PRICE | ITEM# | SIZE | APPLICATION | PRICE |
| €20,85 | XIL-SN06 | M6 | Dura Mini, Xmitter Prime Xtreme, | €20,85 |
| €20.85 | | | Xmitter Lo Pro, Solstice Solo | |
| €20,85 | XIL-SN08 | M8 | 4.7" Cannon, Optimus | €20,85 |
| €20.85 | XIL-SN10 | M10 | All Cannon, Optimus Dual | €20,85 |
| €20,63 | VIII 01140 | 1440 | • | |
| €20,85 | XIL-SN12 | M12 | Any M12 Mounting Hardware | €20,85 |
| | | | | |



UNIVERSAL HARNESSES | WIRING

| ITEM# | CONNECTORS | APPLICATION | PRICE |
|----------------|-------------------|--------------------------|--------|
| P-HARNESS.2XIL | Terminals | 2 Light Harness | €56,83 |
| P-HARNESS.XIL | Terminals | 1 Light Harness | €45,28 |
| P-HARNESS.HO | Terminals | High Amp 1 Light Harness | €56,83 |
| P-HARNESS.2HO | Terminals | High Amp 2 Light Harness | €68,38 |
| P-DY2M1F | Deutsch DT Series | Y Adapter | €11,43 |
| P-HARNESS.REV | Extension cord | 1 Light Extension cord | €11,25 |

FLUSH MOUNT | KITS



| ITEM# | LIGHTS | DIMENSION | PRICE |
|----------------|---------------|------------|---------|
| DURA-M460FLUSH | Dura Mini 60° | 117x91x49 | €119,60 |
| DURA-E4MFLUSH | Dura E4M | 132x132x67 | €185,77 |
| DURA-660FLUSH | Dura 6 60° | 170x132x71 | €229,33 |

LED UTILITY FLOOD | LIGHTS

The Utility Market Flood Light features 32 wide angle LEDs making this the perfect lighting solution for applications such as back-up lighting, area lighting, or a number of other applications.



| reatures: | | |
|-----------------|--|--|
| 500 Lumens (ea) | | |
| 120° Flood Beam | | |
| 5 Color Ontions | | |

| ITEM# | RAW LUMENS | COLOR | SIZE | PRICE |
|-----------|------------|--------|------------|--------|
| XIL-UF32A | 500 | Amber | 86x48x23mm | €86,68 |
| XIL-UF32B | 500 | Blue | 86x48x23mm | €86,68 |
| XIL-UF32G | 500 | Green | 86x48x23mm | €86,68 |
| XIL-UF32R | 500 | Red | 86x48x23mm | €86,68 |
| XIL-UF32P | 500 | Purple | 86x48x23mm | €86,68 |



LIGHT BAR END CAP | MOUNTS

Using End Cap Mounts allow you to mount your light bar in tight spots where standard mounting won't cut it. Ideal for Roof, Bumper and Grill locations.

| ITEM# | DESIGNED FOR | PRICE |
|-----------|----------------|--------|
| XIL-LPECM | Xmitter Lo Pro | €16,46 |
| XIL-PECM | Xmitter Prime | €16,46 |
| XPI-EM | XPR & XPR-S | €57,77 |

All prices are VAT excluded - Prices are subject to change without notice.

All prices are VAT excluded - Prices are subject to change without notice.

LED STRIP | LIGHTS

Strip Lights are available in standard (for switched applications) and touch models, which feature 50% Brightness, 100% Brightness and Off modes.



| | | Fea |
|-----------------------|-------|-----------|
| Touch (March (March) | Meles | Co |
| | | Co Tou |
| | | |

| STRIP LED LIGHT | | | |
|--|--|--|--|
| Features: Compact Design Touch Activation (XIL-ST) (Optional) | | | |

| ITEM# | RAW LUMENS | TOUCH ACTIVATION | LENGTH | PRICE |
|-----------|------------|------------------|--------|---------|
| XIL-ST7.5 | 129(ea) | Yes | 188mm | €86,68 |
| XIL-ST12 | 145(ea) | Yes | 302mm | €97,66 |
| XIL-SL7.5 | 129(ea) | No | 188mm | €75,71 |
| XIL-SL12 | 145(ea) | No | 302mm | €86,68 |
| XIL-SL24 | 265(ea) | No | 604mm | €172,56 |
| XIL-SL48 | 520(ea) | No | 1208mm | €241,40 |
| | | | | |

PRIME DIMMER

Push Button or Dial Dimmer for Prime Drive



XIL-PDIMMER Shown

| 7 | ıme | Drive | Dimmer |
|---|-----|-------|--------|
| | | | |

Allows Prime Drive LED Lights and Bars dimming capability with either knob or dial dimmers.

| ITEM# | PRICE |
|--------------|---------|
| XIL-PDIMMER | € 53,77 |
| XIL-PDIMMERB | € 42,79 |

| ITEM # | XIL-PDIMMER | XIL-PDIMMERB |
|---------------------|------------------|-------------------|
| PART # (Stock Code) | 4009257 | 4009264 |
| APPLICATION | Dial Knob Dimmer | Push Button Dimme |
| LIGHT CONNECTORS | WK | WK |
| POWER CONNECTORS | Deutsch | Deutsch |
| BRIGHTNESS CONTROL | 50% through 100% | 50% or 100% |

| WARRANTY | Standard |
|----------------|-----------------------|
| WEIGHT | 0.10 lb/0.05 kg |
| DIMENSIONS | 3.00" x 1.50" x 1.50" |
| | 76 mm x 38mm x 38 mm |
| CORD LENGTH | 5.50"/139.7 mm |
| INPLIT VOLTAGE | 9-40V DC |

Features

- Designed Specifically for Prime Drive Lights
- Control Multiple Lights With One Dimmer
- Dim Your Lights for Controlled Use

CIGARETTE POWER CORD

12V



| ITEM# | PRICE |
|-------|---------|
| P-UCA | € 55,62 |
| | |

LED WORK LIGHT

Hangable LED Work Light



| ITEM# | HIL-WL | ITEM# | PRICE |
|---------------------|---------|--------|---------|
| PART # (Stock Code) | 4005822 | HIL-WL | € 42.90 |
| COLOR | Black | | € 42,30 |

Technical Information

| WARRANTY | Standard |
|----------------|------------------------|
| HOUSING | Black |
| INCLUDES | Work Light, Charger |
| DIMENSIONS | 17.00" x 2.00" x 0.90" |
| CERTIFICATIONS | UL-C Charger |
| BATTERY | NimH Battery |
| LENS | Acrylic |
| LED LIFESPAN | 50,000 Hours |
| RUN TIME | 8+ Hours |

- 12V Cigarette Lighter & Wall Charger Included Acrylic Body & Rubberized Handle
- · Integrated Hook For Hanging

LED POD | LIGHTS

Vision X offers a diverse line of accent pod lighting. Easily

attract attention to your vehicle with the wide variety of

colors. Each durable pod and strip light accepts 9-32 volt input and features a strong black housing. Ideal for professional grade applications and weekend enthusiasts







Features: 140 Lumens Per Pod 5 Color Options 1m Power Cord Weatherproof Housing

| ITEM# | COLOR | SIZE | PRICE |
|---------|-------|------|--------|
| XIL-PDA | Amber | 25mm | €38,40 |
| XIL-PDB | Blue | 25mm | €38,40 |
| XIL-PDG | Green | 25mm | €38,40 |
| XIL-PDR | Red | 25mm | €38,40 |
| XIL-PDW | White | 25mm | €38.40 |

BATTERY PACKS

Rechargeable Power Source for Vision X Lighting



| ITEM # | XPC-B22 | XPC-B45 |
|-----------------|-----------------|-----------------|
| 1 SOLO RUN TIME | 3 Hours | 4 Hours |
| CAPACITY | 2.2Ah | 4.5Ah |
| MAX LOAD | 5A | 3A |
| CHARGE TIME | 4 Hours | 4 Hours |
| VOLTAGE | 14.8V DC | 12V DC |
| WEIGHT | 1.15 lb/0.52 kg | 1.00 lb/0.45 kg |
| SWITCH | On Rody | On Cord |

| ITEM# | PRICE |
|---------|----------|
| XPC-B22 | € 130,57 |
| XPC-B45 | € 317,90 |

Technical Information

| WARRANTY | Standard |
|-----------------------|--------------------|
| INCLUDE | Power Pack Charger |
| CHARGER INPUT VOLTAGE | 110-220V AC |

Features

- Portable Power Packs to for Universal Applications
- · Weatherproof Deutsch Connector

Battery Packs

Turn Vision X Lighting portable. With a variety of options, battery packs make lighting on the go happen.





SEARCH LIGHT | MOTORIZED REMOTE CONTROL

LED Lighting 360° degree Unlimited Rotation/120° Tilt | Programmable Handheld Wireless Remote Controller.



| ITEM# | BEAM | RAW LUMEN | WATTAGE | DISTANCE | DIMENSIONS | PRICE |
|---------|------|-----------|---------|----------|----------------------|----------|
| LSL-210 | 10° | 5.090 lm | 40W | 916m | 181.5 x 149 x 169 mm | € 790,90 |

MAGNETIC BASE | MOUNTS Use multiple to support larger light bars. Protective rubber boot include. Use to secure light temporarily. Protective rubber boot include

| ITEM# | PULL FORCE | PRICE |
|-----------|------------|--------|
| P-UMB.200 | 85.18 kg | €38,39 |
| P-UMB.95 | 43.09 kg | €20,73 |
| P-UMB.65 | 29.48 kg | €15,35 |



MINI SOLO ACCESSORIES MOUNTS

Mini Solo Pod Mounts For Portable Applications

Mini Solo Accessories

Accessories for Mini Solo Pods for use in portable applications

XIL-MXHANDLEBAR Shown Light(s) Not Included

| ITEM# | XIL-MXHANDLEBAR | XIL-MXHELMET | XIL-MXCOMBO | XIL-MXCLAMP |
|---------------------|----------------------------------|--------------|------------------------------------|--|
| PART # (Stock Code) | 9145570 | 9145488 | 9145396 | 9119205 |
| USE | Bicycle Handlebars or Similar | Helmets | Includes Helmet and Bicycle Mounts | Tube Mounting 0.75" to 1.25" In Diameter |
| PRICE | € 31,82 | € 27,43 | € 42,79 | € 16,46 |

Technical Information

XIL-MXHANDLEBAR

AVAILABLE COLOR

- Combine with Vision X Battery Packs for Portable On-The-Go Lighting
- For Recreational or Professional Applications
- Extends Applications of Solo Products







SOLO ACCESSORIES MOUNTS

Solo Pod Mounts For Portable Applications



Accessories for Solo Pods for use in portable applica-

Solo Accessories

Light(s) Not Included

| ITEM # | XIL-SHANDLEBAR | XIL-SHELMET | XIL-SCOMBO | XIL-SHANDLE | XIL-SCLAMP |
|---------------------|----------------------------------|-------------|------------------------------------|-------------|--|
| PART # (Stock Code) | 4002746 | 4002753 | 4002739 | 4002685 | 9117942 |
| USE | Bicycle Handlebars or Similar | Helmets | Includes Helmet and Bicycle Mounts | Pistol Grip | Tube Mounting 0.75" to 1.25" In Diameter |
| PRICE | € 31,82 | € 27,43 | € 42,79 | € 42,79 | € 16,46 |

Tables at Information

| recnnical information | |
|-----------------------|----------|
| WARRANTY | Standard |
| AVAILABLE COLOR | Black |

Features

- Combine with Vision X Battery Packs for Portable On-The-Go Lighting
- For Recreational or Professional Applications
- Extends Applications of Solo Products









XIL-SCLAMP





JEEP JK SPECIFIC | MODEL

| | • | | |
|------------------|-------------|------------|---------|
| ITEM# | FINISH | HALO COLOR | PRICE |
| XIL-7RELKITJK | CHROME | WHITE | €865,29 |
| XIL-7RELBKITJK | BLK. CHROME | WHITE | €865,29 |
| XIL-7RELFMBKITJK | BLK. MATTE | WHITE | €865,29 |

* KITS INCLUDE 2 LIGHTS + CANBUS ADAPTER

HEADLIGHT | KITS

The Emark Approved VX Series LED Headlight leads the LED Headlight industry in both style and performance. With an integrated LED Halo Ring, the VX Headlight is sure to turn heads while also delivering a dramatically improved night driving experience over factory headlights.

JEEP JK SPECIFIC CANBUS IK Model Headlight kits come

JK Model Headlight kits come standard with Canbus Adapter.

ALL OTHER JEEP | MODEL

| ITEM# | FINISH | HALO COLOR | PRICE |
|----------------|-------------|------------|---------|
| XIL-7RELKIT | CHROME | WHITE | €817,17 |
| XIL-7RELBKIT | BLK. CHROME | WHITE | €817,17 |
| XIL-7RELFMBKIT | BLK. MATTE | WHITE | €817,17 |

* KITS INCLUDE 2 LIGHTS

JEEP JL | GLADIATOR LIGHT KITS





| ITEM# | FINISH | HALO COLOR | PRICE |
|------------------|-------------|------------|-----------|
| XIL-7RELKITJL | CHROME | WHITE | €1.263,90 |
| XIL-7RELBKITJL | BLK. CHROME | WHITE | €1.263,90 |
| XIL-7RELFMBKITJL | BLK. MATTE | WHITE | €1.263,90 |

^{*} KITS INCLUDE 2 LIGHTS + CANBUS ADAPTER

JEEP JL | MINI CANNON





JEEP JL | CANNON

Vision X lights has stepped up to create a new line of bulletproof Off-Road Light Brackets beginning with the Jeep JL/Gladiator. No more shaky weak cheap brackets! Our new Armor Series line of off-road light brackets are specifically designed to take a beating and come back for more. Torture tested in off-road racing our new brackets are made entirely of 4130 alloy hardened American steel these new brackets allow you to mount your Vision X LED Light Canons directly to your Jeep JL/Gladiator without any cutting or drilling using factory mounting points.

| ITEM# | RAW LUMENS | WATTS | AMP DRAW@12 | LIGHTS INCLU | DED | YEAR / MAKE / MODEL | PRICE |
|-------------------|---------------|----------|-------------|-----------------------|---------|-----------------------------|---------|
| XIL-0EA18JLCPM310 | 4,500lm | 42W | 3.5A | 76mm CG2 Mini C | annons | 2018+ Jeep JL / Gladiator | €525,58 |
| XIL-OEA18JLCPM710 | 10,500lm | 98W | 8.17A | 137mm CG2 Light | Cannons | 2018+ Jeep JL / Gladiator | €795,79 |
| | | ITEM# | , | VEHICLE APPLICATION | | LIGHTS & BEAM | PRICE |
| | L GLADIATOR | XIL-0EV2 | 20JT 2 | 20+ Jeep JL Gladiator | Bra | ckets Only + Connectors | €130,57 |
| REVER | SE LIGHT KITS | XIL-0EV2 | 20JTM460 2 | 20+ Jeep JL Gladiator | 2x BLB0 | 50460 + Bracket and Harness | €273,22 |

WINDSHIELD | LIGHT BAR MOUNT



The Light Bar Windshield Mount bolts directly into existing holes allowing for quick installation. The Vision X Jeep JK Windshield mount is designed to fit any 1270mm + Light bar with mounting feet, such as our XPR Light Bar with Unbeatable Distance. The Jeep JK Windshield Mount is also adaptable for mounting traditional round style pod lights such as our Light Cannons or HID Lights

| ITEM# | APPLICATION | PRICE |
|-----------------|---------------|---------|
| XIL-0EW0713JKV2 | 07-13 Jeep JK | €273,22 |

FOG LIGHT | KITS

The Vision X OE Kits are designed with the customer in mind with easy direct to factory fitting kits that take little to no modification to install. Every kit comes with direct to factory plugs to make an easy connection between your new lights and your factory plugs.

JEEP | FOG LIGHT KITS





| ITEM# | VEHICLE APPLICATION | LIGHTS & BEAM | PRICE |
|--------------------|----------------------------|----------------------------|---------|
| XIL-0E0709JKV2 | 07-09 Jeep JK | Brackets Only + Connectors | €53,77 |
| XIL-0E0709JKV20PR | 07-09 Jeep JK | 2x Optimus Rnd. Spot | €328,08 |
| XIL-0E0709JKV20PRH | 07-09 Jeep JK | 2x Optimus Rnd. Spot Halo | €371,97 |
| XIL-0E1012JKV2 | 10-17 Jeep JK | Brackets Only + Connectors | €64,74 |
| XIL-0E1012JKV20PR | 10-17 Jeep JK | 2x Optimus Rnd. Spot | €328,08 |
| XIL-0E1012JKV20PRH | 10-17 Jeep JK | 2x Optimus Rnd. Spot Halo | €371,97 |
| XIL-0E10JKCPM | 10-17 Jeep JK | 2x Mini Cannon Broad Spot | €393,91 |
| XIL-0E13JKX | 13-17 Jeep JK X | Brackets Only + Connectors | €64,74 |
| XIL-0E13JKX0PR | 13-17 Jeep JK X | 2x Optimus Rnd. Spot | €328,08 |
| XIL-0E13JKX0PRH | 13-17 Jeep JK X | 2x Optimus Rnd. Spot Halo | €371,97 |
| XIL-0E18JL | 18+ Jeep JL | Brackets Only + Connectors | €108,63 |
| XIL-0E18JLCPM | 18+ Jeep JL | 2x Mini Cannon Broad Spot | €437,80 |
| XIL-0E18JLM | 18+ Jeep JL(Metal Bumper) | Brackets Only + Connectors | €64,74 |
| XIL-0E18JLMCPM | 18+ Jeep JL (Metal Bumper) | 2x Mini Cannon Broad Spot | €382,94 |

A-PILLAR & HOOD | LIGHT KITS

JEEP | A-PILLAR LIGHT KITS





| | ITEM# | VEHICLE APPLICATION | LIGHTS & BEAM | PRICE |
|---|-------------------|---------------------|----------------------------|---------|
| | XIL-0EA0713JK | 07-17 Jeep JK | Brackets Only + Connectors | €53,77 |
| | XIL-0EA0713JKCPZ1 | 07-17 Jeep JK | 2x 137mm Light Cannon Spot | €547,53 |
| | XIL-0EA0713JK0P1 | 07-17 Jeep JK | 2x Optimus Rnd. Spot | €328,08 |
| _ | XIL-0EA0713JK0PH | 07-17 Jeep JK | 2x Optimus Rnd. Spot Halo | €371,97 |
| | XIL-OEA07JKCPM710 | 07-17 Jeep JK | 2x 137mm CG2 Broad Spot | €626,90 |
| | XIL-OEA9706TJ | 97-06 Jeep TJ | Brackets Only + Connectors | €53,77 |
| _ | XIL-OEA9706TJCPZ1 | 97-06 Jeep TJ | 2x 137mm Light Cannon | €547,53 |
| | XIL-0EA9706TJ0P1 | 97-06 Jeep TJ | 2x Optimus Rnd. Spot | €328,08 |
| | XIL-0EA9706TJ0PH | 97-06 Jeep TJ | 2x Optimus Rnd. Spot Halo | €371,97 |

JEEP | HOOD LIGHT BAR KITS



| IIEM# | VEHICLE APPLICATION | LIGHTS & BEAM | PRICE | |
|---------------------|---------------------|---------------------------------|-----------|--|
| XIL-0EH0713JK | 07+ Jeep JK | Brackets Only | €75,71 | |
| XIL-0EH0713JKPX36 | 07+ Jeep JK | 510mm Xmitter Prime Xtreme Spot | €1.171,86 | |
| XIL-0EH0713JKXPR12M | 07+ Jeep JK | 611mm XPR-12M | €732,96 | |
| | | | | |



VEHICLE SPECIFIC AUXILIARY LED LIGHT KITS FOR CARS AND COMMERCIAL VEHICLES

Alfa Romeo, Audi, BMW, Chevrolet, Citroën, Dodge, Fiat, Ford, Hyundai, Isuzu, Kia, Land Rover, Lexus, Maxus, Mercedes-Benz, Mercedes-Benz Trucks, MG, Mitsubishi, Nissan, Opel, Peugeot, Polestar, Renault, Scania Trucks, Skoda, Suzuki, Tesla, Toyota, Volkswagen, Volvo, Volvo Trucks, and more...



LIGHT BAR | INTEGRATION KITS

With the Vision X Bumper Light Bar kit, you can drastically improve your vehicles light output while maintaining the factory look. Choose from a distance spot bar or a full spread beam that fills in the roadway.

The Vision X Kits are designed with the customer in mind with model specific brackets it takes little to no modification to install.

BROCHURE BY BRAND AVAILABLE ON REQUEST

BRANDS AVAILABLE

ALFA ROMEO STELVIO

AUDI A4, A6, Q5, Q7

BMW Serie 3, Serie 2 TOURER

CITROEN BERLINGO, JUMPY, JUMPER, C3, PICASSO, RELAY

DACIA DUSTER, JOGGER

DODGE RAM

FORD RANGER, TRANSIT, FOCUS, MONDEO, S-MAX

HYUNDAI GRAND SANTA FE, IONIQ, i10, i20, i30, i40, KONA, SABTA FE, TUCSON

KIA CARENS, CEED, E-NIRO, OPTIMA, PROCEED, SORENTO, SOUL, SPORTAGE, STONIC, X-CEED

MAN TGE

MERCEDES G-CLASS, X-CLASS, V-CLASS, SPRINTER, CITAN, C-CLASS, E-CLASS

MITSUBISHI L200, OUTLANDER, ASX

NISSAN NAVARA, QASHQAI

OPEL INSIGNIA

PEUGEOT EXPERT, PARTNER, BOXER, 308, 508, 3008, 5008

RENAULT ALASKAN CLIO

SKODA FABIA, KODIAQ

SUBARU OUTBACK, XV

TESLA S, X, 3

TOYOTA HILUX, LANCRUISER, RAV4, PROACE, AURIS, AVENSIS, CAMRY, CH-R, COROLLA

VOLKSWAGEN AMAROK, CADDY, CRAFTER, TRANPORTER, GOLF, PASSAT, TIGUAN T-ROCK

VOLVO S60, S80, S90, V60, V70, V90, XC40, XC60, XC70, XC90

















CARBON ROOF CAP | KITS

Carbon roof cap with two XPL-H9EMH Vision X.

 ITEM#
 LIGHTS
 PRICE


 LRD-XPLH9CBK
 2 XPL-H9EMH
 €3998,50





XPL CURVED INTEGRATION | KITS

Integration kit with curved bar XPL-HC23EMH from Vision X.









FOR 2021+ DEFENDER | MODELS

CANNON LIGHT INTEGRATION | KITS

Integration kit with CANNON CG2 from Vision X.



| ITEM# | LIGHTS | PRICE |
|----------------|---------------|---------|
| LRD-CG2CPM710K | CG2-CPM710KIT | €671,00 |
| LRD-CG2CPZ110K | CG2-CPZ110KIT | €671,00 |





CG2-CPM710 CG2-CPZ110

All prices are VAT excluded - Prices are subject to change without notice.

All prices are VAT excluded - Prices are subject to change without notice.



MAVERICK X3 CANNON RACK | KIT

| ITEM# | LIGHTS & BEAM | MODEL | PRICE |
|---------------|---------------|-------------|---------|
| XIL-OERC16CX3 | Brackets Only | '17+ Mav X3 | €273,22 |





MAVERICK X3 ROOF LIGHT BAR | MOUNTS

| ITEM# | LIGHTS & BEAM | MODEL | PRICE |
|---------------|---------------|---------------|--------|
| XIL-OESC16CX3 | Brackets Only | 431mm+ Mav X3 | €64.74 |








MAVERICK X3 SHOCK TOWER | MOUNT

The Vision X Shock Tower Light Mount for 2016+ Can-Am Maverick X3 makes adding a 305mm LED light bar an easy task. The powder coated steel mount bolts quickly to the existing shock mount, providing a new world to light up your night.







CANNON LASER | LIGHT

Vision X, forerunner in the research and development of new technologies, introduces you to its brand new **Laser Cannon!**

An unequalled range !!! With only 14w of consumption it achieves a distance of almost **1000m**! you read it right, yes 1km!!!!

| ITEM# | DESCRIPTION | PRIX |
|----------------|--|----------|
| CG2-CPL11401 | Laser Light only | € 547.66 |
| CTL-CPZ1HANDLE | Pistol Grip Handle | € 60.35 |
| P-UCA | 12V Cigarette Power Cord | € 55.62 |
| XPC-B45 | Lithium-ion Battery Pack Autonomy : 4 hrs | € 317,90 |


























VISION X EUROPE

188/5 Rue du Cerf 1332 Genval Belgium P: +32 2 652 21 52

VISION X HEADQUARTERS

1601 Boundary Blvd
Auburn WA, 98001
United States of America
P: 253-218-2900

VISION X FACTORY

23-7 Dongtansandan 9-gil Dongtan-myeon Hwaseong-si Gyeonggi-do 18487, Korea P: 82-32-515-4814